

## **Historic, archived document**

Do not assume content reflects current scientific knowledge, policies, or practices.




697  
copy 4

# THE PLANT DISEASE REPORTER

Issued By

## THE PLANT DISEASE SURVEY



Division of Mycology and Disease Survey  
BUREAU OF PLANT INDUSTRY, SOILS, AND AGRICULTURAL ENGINEERING  
AGRICULTURAL RESEARCH ADMINISTRATION  
UNITED STATES DEPARTMENT OF AGRICULTURE

SUPPLEMENT 151

INDEX TO SUPPLEMENTS 145-150, 1944

Supplement 151

Issued May 15, 1946



The Plant Disease Reporter is issued as a service to plant pathologists throughout the United States. It contains reports, summaries, observations, and comments submitted voluntarily by qualified observers. These reports often are in the form of suggestions, queries, and opinions, frequently purely tentative, offered for consideration or discussion rather than as matters of established fact. In accepting and publishing this material the Division of Mycology and Disease Survey serves merely as an informational clearing house. It does not assume responsibility for the subject matter.



PLANT DISEASE REPORTER SUPPLEMENT

Issued by

THE PLANT DISEASE SURVEY  
DIVISION OF MYCOLOGY AND DISEASE SURVEY

Plant Industry Station

Beltsville, Maryland

INDEX TO PLANT DISEASE REPORTER  
SUPPLEMENTS 145-150, 1944

Plant Disease Reporter  
Supplement 151

Index to Supplements  
1944

LIST OF SUPPLEMENTS

- Supplement 145. Studies on vegetable seed treatments in 1943. pp. 1-97. March 15, 1944.  
Contains seventeen reports by various authors; see author index
- Supplement 146. Methods of appraising intensity and destructiveness of cereal rusts with particular reference to Russian work on wheat leaf rust. pp. 99-121. April 1, 1944. By K. Starr Chester
- Supplement 147. Plant disease surveys in the Northeastern United States in 1943. pp. 125-229. June 1, 1944.  
Reports by members of the Emergency Plant Disease Prevention Project; often assisted by various collaborators who should be given credit for their individual contributions
- Supplement 148. Plant disease surveys in the Southeastern United States in 1943. pp. 233-302. June 15, 1944  
Reports by members of the Emergency Plant Disease Prevention Project. See note under Supplement 147
- Supplement 149. Plant disease surveys in the Western United States in 1943. pp. 305-407. July 1, 1944  
Reports by members of the Emergency Plant Disease Prevention Project. See note under Supplement 147
- Supplement 150. Viruses described primarily on ornamental or miscellaneous plants. pp. 410-482. July 15, 1944. By Philip Brierley
- Supplement 151. INDEX to Supplements 145 to 150. pp. 483-530  
(Issued May 15, 1946)

AUTHOR INDEX

- ATKINSON, R. E. . . . . 254  
 BAINES, R. C. . . . . 169, 185  
 BARNETT, HORACE L. . . . . 369  
 BLODGETT, EARLE C. . . . . 400  
 BODINE, E. W. . . . . 342, 344  
 BOYLE, LYTTON W. . . . . 386, 396  
 BRETZ, T. W. . . . . 217, 293  
 BRIERLEY, PHILIP . . . . . 410  
  
 CASSELL, ROBERT C. . . . . 126  
 CHESTER, K. STARR . . . . . 99  
 CLAYTON, C. N. . . . . 46  
 CROSIER, WILLARD . . . . . 92  
  
 DOOLITTLE, S. P. . . . . 36, 58  
  
 HAENSELER, C. M. . . . . 7  
 HARE, W. W. . . . . (19), (56)  
 HARRIS, HUBERT A. . . . . 338  
 HARRIS, M. R. . . . . 165, 196  
 HONEY, EDWIN E. . . . . 199  
 HOYMAN, WM. G. . . . . 351  
 HYRE, R. A. . . . . 245, 249  
  
 JOHNSON, E. M. . . . . (247)  
  
 KOEHLER, BENJAMIN . . . . . 76  
 LARSH, HOWARD W. . . . . 284, 317  
  
 LEACH, L. D. . . . . 31  
 LOCKE, SETH BARTON . 354, 367, 383  
  
 McNEW, GEORGE L. . . . . 2, 11, 80  
  
 NEWHALL, A. G. . . . . 39  
 NUSBAUM, C. J. . . . . 60  
  
 PADY, STUART M. . . . . 311, 313  
 PERSON, L. H. . . . . 280  
 PORTER, R. H. . . . . 22, (92)  
 PORTER, RICHARD P. . . . . 26  
  
 RHOADS, ARTHUR S. . . . . 262  
  
 SEAL, J. L. . . . . (276)  
 SEMENIUK, GEORGE . . . . . 63  
 STONE, G. M. . . . . 259, 276  
  
 TAYLOR, CARLTON F. . . . . 233, 239  
 TERVET, IAN W. . . . . 210, 305, 308  
 TYLER, LEON J. . . . . 144, 152  
  
 VALLEAU, W. D. . . . . 247  
 VAUGHAN, R. E. . . . . (199)  
  
 WALKER, E. A. . . . . 157  
 WALKER, J. C. . . . . 19, 56  
 WATKINS, G. M. . . . . 326

SUBJECT INDEX

- Abelia: chlorosis (non-par.) 337  
 Abutilon variegation virus, description etc., 412  
 Acanthaceae: aster yellows virus, 419  
 Acer: Cytospora chrysosperma 350; Pleurotus ulmarius 350; Rhytisma acerinum 270, 382; Rhytisma punctatum 382  
 Aceraceae; maple-variegation virus description etc. 414  
 Actinomyces, 352  
 --- ipomoeae, 159, 173, 187, 234, 281, 329  
 (Actinomyces) scabies, 47, 54, 128, 135, 154, 161, 166, 172, 176, 189, 197, 199, 201, 211, 220, 228, 240, 278, 281, 297, 305, 309, 331, 339, 342, 346, 359, 369, 375, 389, 393, 398.  
 Aesculus: Guignardia aesculi, 143, 270; horsechestnut variegation virus description etc. 415  
 Agrimonia: Pucciniastrum agrimoniae 208  
 Agrobacterium savastanoi, 379  
 --- tumefaciens, 150, 157, 169, 195, 205, 206, 209, 227, 228,

- (*Agrobacterium tumefaciens*) 335, 348, 349, 351, 353, 354, 377, 383, 403
- Agropyron: *Claviceps purpurea* 202, 212, 309; *Erysiphe graminis* 202; *Phyllachora graminis* 202; *Puccinia graminis* 202, 309; *Puccinia rubigo-vera* 309
- Agrostis: *Claviceps microcephala* 399; *Corticium fuciforme* 139; *Puccinia rubigo-vera* 202; *Sclerotinia homoeocarpa* 139; *Sclerotium graminis* 202
- Aizooceae: aster yellows virus 419
- Albugo bliti, 208
- candida, 161, 375, 384, 397
- ipomoeae-panduranae, 238, 263, 270
- occidentalis, 332
- platensis, 270
- tragopogonis, 343, 347, 376
- Aleurites fordii: *Clitocybe* root rot 266; thread blight, and control 266; web blight 282
- Alfalfa: anthracnose 353; bacterial wilt 148, 155, 168, 178, 198, 203, 222, 343, 347, 353, 354, 355, 361, 367, 368, 377, as limiting factor 354, 367; black stem 148, 155, 340, 353; boron deficiency yellowing 140; *Cercospora* 190, 222; crown rot (*Stagonospora*) 298, (*Urophlyctis*) 377; dodder 353, 361, 367; downy mildew 223, 343, 347, 353, 361, 368; dwarf (virus) 377; *Fusarium* wilt 353, 377; girdle 333, 353; leaf spot, common (*Pseudopeziza*) 140, 148, 155, 162, 168, 178, 190, 198, 203, 223, 287, 298, 307, 310, 320, 333, 340, 343, 347, 353, 362, 368, 377; mosaic (virus) 347, 353, 362; *Phymatotrichum* 333, 353, 377; *Pleospora* 281; *Pseudoplea* 148, 203; root canker (*Rhizoctonia*) 353, 377; rust 203, 223, 281, 287, 320, 333, 353, 377; *Stagonospora* 148, 377; stem nematode 376; *Stemphylium* 148; *Urophlyctis* 377; violet root rot 298;
- (Alfalfa) yellow leaf blotch (*Pyrenopeziza*) 162, 190, 203, 223, 298, 333, 340, 362; white spot (non-par.) 353; winter injury 203, 340; witches' broom (virus) 353; yellows (leafhopper) 203
- Almond: *Armillaria* root rot 377; bacterial canker 377; burn (? high temperatures) 377; blackheart (*Verticillium*) 377; brown rot blossom blight 377; *Coryneum* blight 363, 377; crown gall 377; green rot 377; jacket rot 377; little leaf (zinc deficiency) 378; peach mosaic (inoculation) 348; peach mosaic, apricot strain, 377; *Phytophthora* canker 377; ring spot (virus) 377; rust 377; scab 377; yellows (peach virus) 242
- Alternaria* sp.(p.), on apple (core mold) 205; broccoli 152; cabbage 152, 158; castor bean 337; cauliflower 371; cotton 280, 293, 325, 354; lima bean 154; peanut 259; pepper (fruit rot, fruit spot) 152, 285, 318, 342, 345, 372; soybean 235; spinach 320; squash (fruit rot) 131; turnip 372; wheat (black point) 214
- atrans, 148 (?), 155
- brassicae, 158, 161, 210, 384, 385, 390; 391
- carotae, 132, 146, 153, 166, 173, 187, 197, 234, 239, 328, 352, 373
- catalpae, 143
- cichorii, 263
- circinans, 128, 129, 152, 200, 218, 233, 259, 276, 280, 327, 390
- citri, 335, 379
- cucumerina, 129, 131, 153, 159, 166, 173, 197, 200, 218, 281, 285, 318, 328, 345, 352
- dianthi, 350
- gossypina, 237
- porri, 326, 344
- solani; on eggplant 135, 147, 154; pepper 158, 327;

- (*Alternaria solani*) see also early blight under potato and tomato  
 --- *tenuis*, 257  
 --- tomato, 146, 329
- Althaea rosea*: *Puccinia malvacearum* 208, 350
- Amaranthaceae: aster yellows virus 419
- Amaranthus*: *Albugo bliti* 208; *Gloeosporium amaranthicola* 208
- Amaryllidaceae: *Narcissus* viruses, mosaic 454, white streak 456
- Americosporium oeconomicum*, 235, 261, 266
- Anemone alloiophylly* virus, description etc., 415
- Anthurium* mosaic virus, description etc., 417
- Anticarsia gemmatilis* (velvet bean caterpillar), 266
- Antirrhinum majus*: downy mildew 382; *Phyllosticta* 184; rust 184, 208, 350, 382; *Verticillium* wilt 184
- Aphanomyces*, on pea 220; sugar beet (tip root rot) 207  
 --- *cochlioides*, 216, 228, 308, 381  
 --- *euteiches*, 189, 201, 339  
 --- *raphani*, 176
- Aphelenchoides* sp., on strawberry 335  
 --- *fragariae*, 283  
 --- *parietinus*, on *Iris* 337
- Aphelenchus* sp., on *chrysanthemum* 184
- Apocynaceae: aster yellows virus 419; oleander variegation virus 456
- Apple: anthracnose 142; *Armillaria* 242; arsenical injury to fruit 247; bitter pit 142, 205, 243, 379; bitter rot 141, 164, 168, 171, 182, 194, 226, 236, 243, 247, 253, 301, 335; black pox 142, 156, 164, 169, 182, 243; black root rot (*Xylaria*) 236, 243; black rot canker, leaf spot, fruit rot, 142, 150, 156, 164, 169, 182, 194, 205, 226, 236, 247, 253, 291, (Apple) (black rot) 302, 324, 335; blister canker 226; blotch 169, 182, 194, 205, 226, 243, 247, 252, 291, 301, 324; boron deficiency (see also cork, drought spot) 379; brown rot 291, 324; cedar-apple rust 141, 150, 156, 164, 168, 182, 194, 205, 216, 226, 236, 243, 253, 291, 301, 311, 324; cedar-hawthorn rust, 141; cedar-quince rust 141, 150, 156, 182, 194, 247, 253; chlorosis (nonpar.) 403; *Coniothyrium fuckelii* 164; core mold (*Alternaria*) 205; cork, external, 253; *Corticium galactinum* 236; crown gall 205, 335; deficiency diseases 142, 253, 341, 353, 379; drought effect on root rot 243; drought injury 164; drought spot 341, injury resembling 404; fireblight 141, 150, 156, 164, 168, 194, 205, 216, 226, 236, 242, 291, 301, 308, 311, 324, 335, 341, 344, 349, 353, 363, 379, 402; fly speck 205, 243, 247, 253, 291, 324; frog-eye, see black rot; frost injury 205, 243, 246, 253, 302, 403; fruit injury resembling boron deficiency drought spot, 404; fruit russet, 142, 216; fruit spot 142, 156, 164, 169, 243; *Illosporium* leaf spot 243; internal bark necrosis (nonpar.) 243; iron deficiency 353, 363; iron-sulfate injury 403; Jonathan spot 341; late blossoming 164; leaf scorch 142; magnesium deficiency 142; measles 164; mosaic (virus) 142; *Penicillium* fruit rot 324, 402; perennial canker fruit rot 402; *Pestalotia* leaf spot 268; *Phymatotrichum* root rot 353; *Phytophthora* crown rot 243; powdery mildew 349, 353, 379, 402; *Rhizopus* rot 402; root rot 236, 242, 243, 353, 363, 379, undet. 363; *Rosellinia*, 379; rosette 403; rough bark canker (undet.) 404; scab 142, 150, 156, 164, 169,



- (Apple) (scab) 171, 182, 194, 199, 205, 216, 227, 236, 243, 247, 253, 291, 302, 308, 311, 317, 324, 341, 349, 379, 394, 402; sooty blotch 156, 182, 194, 226, 242, 246, 253, 291, 324; spray injury 164, 247, 403; weather, and root rot 243, and scab, 324; white root rot 236; winter injury 227, winter killing 205; Xylaria 236, 243; zinc deficiency 379
- , crab (flowering); scab 394
- Apricot: Armillaria 380; bacterial canker 380; brown rot and blossom blight 380; canker (undet.) 404; chlorosis (nonpar.) 349; Coryneum blight 349, 363, 380, 401; dieback (undet.) 365; fruit spot (nonpar.) 404; green rot 380; iron deficiency 353; jacket rot 380; little leaf (zinc deficiency) 380; peach mosaic, a symptomless carrier, 380; peach mosaic, apricot form, 380; ringpox (ring spot) (virus) 340; rust 380; tumor (undet.) 380; Verticillium 365; winter injury 365, 403; wood decay fungi 365; zinc deficiency 380
- Aquifoliaceae: Ilex variegation virus 445
- Araceae: Anthurium mosaic virus 417
- Arecastrum: Ganoderma 270
- Armillaria mellea, 217, 242, 283, 377, 378, 379, 380, 381, 383, 400
- Arsenical toxicity, systemic, to peach 403
- Artichoke (globe): gray mold rot 373; Phytophthora root rot 385; Ramularia leaf spot 373, 385
- Asclepiadaceae: aster yellows virus 419
- Asclepias: aster yellows 208
- Ascochyta sp(p.), on Austrian winter pea 278; onion 388; pea (leaf spot, pod spot) 189, 386; sorghum 278; vetch 279
- (Ascochyta) gossypii, 280
- imperfecta, 148, 155, 340, 353
- lethalis, 307
- lycopersici, 393
- pinodella, 201, 211, 346, 375
- pisi, 201, 211, 281, 282, 375
- sorghina, 265, 282
- Asimina: Cercospora 270
- Asparagus: 356; bacterium assoc. with root rot 388; Cercospora 233, 318, 351; Colletotrichum 388; Fusarium 152, 157; Penicillium 388; root rot (undet.) 388; rust 128, 144, 152, 157, 165, 199, 218, 345, 370
- Aspergillus sp(p.), on corn 156, 192, 300; watermelon 285
- niger, 370, 406
- Aster spp.: Coleosporium solidaginis 208; Septoria atropurpurea 208
- , China or garden, see Callistephus
- Atropa belladonna: mosaic virus, description, etc. 417; Phytophthora root rot 381; Verticillium wilt 381
- Avocado: decline and collapse 380; excess water injury 380; Phytophthora trunk canker 380
- Axonopus: Physarum 281
- Baccharis: Dimeriella 270
- Bacterial black stalk, of tobacco 249
- corm decay, of gladiolus 337
- leaf spot and top rot (undet.), of corn 313, 316
- soft rot, of onion 165; potato 278, 331; tomato 245, 250. See also Erwinia carotovora
- Bacterium, assoc. with asparagus root rot 388; onion basal bulb rot 405; onion soft puffy rot 406
- sesamicola 333
- solanacearum, see Pseudomonas
- stewartii, 140, 167, 180, 192, 204, 225, 246, 252, 290, 300
- tardicrescens, 216

- Bark necrosis, internal, of apple, 243
- Bark splitting, of peach 404
- Barley: bacterial blight 210, 213, 222, 310, 340; blotch 167, 213, see also net blotch, spot blotch; covered smut 140, 167, 177, 190, 198, 203, 213, 222, 278, 298, 306, 340, 343, 347, 376; ergot 167, 203, 212, 221, 306, 339, 343, 347; foot rots 222, 298, 376; *Fusarium* 212, 213, 222, 298; *Gibberella* footrot 376; head blight 203, 210, 212, 213, 306, 310; *Helminthosporium* 203, 210, 212, 213, 222, 278, 298, 305, 306, 310, 343, 376; intermediate smut 222; leaf rust, 148, 167, 177, 190, 203, 213, 222, 242, 298, 306, 310, 333, 343, 347; leaf rust, wheat, 222; loose smut 140, 167, 177, 190, 198, 203, 213, 222, 242, 278, 298, 306, 310, 340, 343, 347; net blotch 222, 376; powdery mildew 167, 203, 221, 278, 298, 333, 347, 361, 376; *Pythium* root necrosis 222, 298; root rot 210, 212, 213, 278, 310; scab 167, 177, 198, 203, 210, 212, 213, 222, 242, 298, 305, 306, 310; scald (scorch) 203, 213, 376; seed treatment 213; seedling blight 210, 212, 213, 222, 310; snow rot (*Typhula*) 361; spot blotch 198, 222, 278, 298, 305, 306, 310, 343; stem blight (*Helminthosporium*) 203, 213; stem rust 140, 148, 167, 177, 190, 198, 203, 210, 222, 242, 298, 306, 310, 340, 343, 347, 361; stripe 203, 213, 222, 298, 306, 310, 339, 343, 347, 376; take-all (*Ophiobolus*) 222, 298, 376
- Bean: anthracnose 134, 147, 154, 166, 201, 211, 220, 234, 240, 251, 260, 277, 286; angular leaf spot (*Isariopsis*) 134, 251; ashy stem blight, see with charcoal rot; bacterial blight 211, 234, 260, 331; --- ---, common, 135, (Bean) (bacterial blight, common) 147, 154, 166, 176, 189, 197, 201, 220, 240, 251, 277, 281, 297, 305, 309, 320, 339, 342, 346, 352, 358; --- ---, halo, 134, 147, 154, 189, 201, 240, 281, 339, 342, 346, 358; bacterial wilt (*Corynebacterium flaccumfaciens*) 166, 197, (*Pseudomonas solanacearum*) 277; charcoal rot 281, 286, 320, 330; chlorosis (nonpar.) 331; curly top (virus) 331, 342, 352; damping-off (*Thielaviopsis*) 375; gray mold rot, 134, 397; insect injury 264, 320; leaf blotch (*Cercospora*) 277, 286; mosaic (virus) 135, 147, 154, 189, 201, 220, 235, 260, 277, 281, 287, 305, 331, 339, 342, 346, 352, 358, 375, 393; ---, assoc. with *gladiolus* 393; ---, common, 154, 331, 339, 358; ---, green type, 342, 346; ---, yellow 147, 154, 331, 342, 346, 358; nonpar. trouble, not specified, 346; powdery mildew 166, 235, 260, 277, 286, 330, 352, 375, 385; pod rot (*Rhizoctonia*) 251, 260; red node (virus suspected) 342, 346; red spider injury 320; rootknot 235, 251, 260, 277, 297, 352, 375; root rot (*Diaporthe*) 277; --- --- (*Fusarium*) 134, 176, 188, 201, 240, 339, see also root rot, dry; --- --- (*Phymatotrichum*) 330; --- --- (*Rhizoctonia*) 134, 154, 281, 330, 375, 385, 392, 397; --- ---, black (*Thielaviopsis*) 277, 375; --- ---, dry (*Fusarium solani* f. *phaseoli*) 134, 147, 154, 201, 297, 339, 342, 346, 352, 375, 358; russet of pods (undet.) 397; rust 134, 154, 201, 220, 235, 240, 260, 277, 281, 286, 297, 331, 339, 342, 346, 352, 375, 392; seed-borne infection 240; seed treatment studies 56; southern blight or wilt 277, 281, 331;

- (Bean) stem blight, stem tip blight (Pythium) 281, 330; stem canker (Rhizoctonia) 201, 281; stem rot (Rhizoctonia) 260, 330, (Sclerotinia) 277; web blight 281; white mold (Sclerotinia) 342; wilt (Fusarium) 286, (Pythium) 375; witches' broom (virus) 352
- , broad: see *Vicia faba*
- , castor: see *Ricinus*
- , Lima: anthracnose or blight of pods and seeds (*Colletotrichum truncatum*) 319; bacterial blight 240; --- ---, common (*Xanthomonas*) 188; bacterial spot (*Pseudomonas syringae*) 146, 154; charcoal rot 320; cottony leak (Pythium) 320; downy mildew 146, 240; leaf spot (*Alternaria*) 154, (*Cercospora*) 320; mosaic (virus) 240; pod blight (*Diaporthe*) 146, 281; pod rot (Fusarium) 188; powdery mildew 320; rootknot 330; root rot (Fusarium) 188, 358, (*Rhizoctonia*) 188; seed treatment studies, 11, 93, 94; seedling root rot (*Rhizoctonia solani*) 375; southern wilt 281; witches' broom (virus suspected) 352
- , mung: bacterial blight, common, 319; charcoal rot 319; yeast spot 319
- , velvet: see *Stizolobium deerlingianum*
- Beet, garden: *Aphanomyces* 308; black heart (phosphate deficiency) 345; boron deficiency 152, 199, 370, 389; *Cladosporium* 389; curly top (virus) 326, 351, 370, 384; damping-off (various) 199, 308; *Epicoccum* 389; *Fusarium* 351; *Heterosporium* 389; internal black spot (boron deficiency) 199; leaf spot (*Cercospora*) 128, 144, 152, 157, 172, 185, 199, 289, 318, 326, 345, 351, 368, 370, 383, 389, 396; --- --- (various fungi) 389; *Macrosporium* 389;
- (Beet, garden) mosaic (virus) 326; nematode gall (undet.) 239; *Phoma* 128, 389; phosphate deficiency 345; *Pythium* 199, 308; *Ramularia* 389; *Rhizoctonia* 199, 308; root canker (boron deficiency) 389; root rot (various) 308; rust 370, 384, 389, 396; scab 128, 172, 199, 389; seed treatment studies 31, 93; southern blight 326, 389; *Stemphylium* 389
- , sugar: *Aphanomyces*, 207, 216, 228, 308, 381; black heart (phosphate deficiency) 350; black root complex 168, 341, 344, 349, 367; boron deficiency 207, 381; charcoal rot 381; crown rot (*Rhizoctonia* and *Pythium*) 207, (undet.) 367; curly top (virus) 341, 344, 350, 354, 367, 381, effect of resistant vars. on incidence 367; damping-off (various) 216, 228, 308, 344, 349, 367, 381; downy mildew 381, 394; dry rot canker (*Rhizoctonia*) 356, 381; *Fusarium* 344, 349; heart rot (boron deficiency) 207; *Heterodera schachtii* 349; leaf spot (*Cercospora*) 168, 183, 198, 207, 216, 228, 307, 341, 344, 349, 354, 366, 381, 394; leaf spot (*Ramularia*) 395; *Macrophoma*, on leaf and stem, 394; mosaic (virus) 344, 350, 354, 367, 381; nitrogen deficiency 341, 354; *Phoma* 207, 216, 228, 349, 381, 394; phosphorus deficiency 341, 350; *Pythium* spp., 207, 228, 308, 344, 349; *Rhizoctonia solani* 216, 228, 308, 344, 349; root rots 198, 216, 228, 308, 344, 349, 356, undet. 356; rust 381, 395; savoy disease (virus) 228, 350; scab 228; seedling root rot 381; southern root rot 381; tip root rot (*Aphanomyces*) 207; weather injury 198; wet root rot (*Phytophthora*) 366; wilt (*Verticillium*) 350
- Begonia: bacterial leaf spot 350,

- (Begonia) (bacterial leaf spot) 382; Botrytis 350  
 Begoniaceae: aster yellows virus 419  
 Belladonna: see Atropa belladonna  
 Berberis vulgaris: Puccinia graminis 139, 350  
 Bignonia: Capnodium 270; Meliola 270  
 Bignoniaceae: Tabebuia witches' broom virus, 476  
 Bitter pit (nonpar.), of apple, 142, 205, 243, 379  
 Blackberry: anthracnose 150, 206, 291, 325; crown gall 206; Hendersonia rubi 400; mosaic, mild (virus) 206; orange rust (Gymnoconia) 195, 206, 291, 325; Septoria 150, 394  
 ---, wild: fly speck 206, sooty blotch 206  
 Black end (assoc. with rootstock), of pear, 381  
 Black-eye pea: see cowpea  
 Black heart (nonpar.), of beet 345; celery 127, 370  
 Black line (graft incompatibility), of walnut, 379  
 Black measles (undet.), of grape, 381  
 Black root complex, of strawberry 205, 349; sugar beet 168, 341, 344, 349, 367  
 Blast (nonpar.), of oats, 221  
 Blasting (undet.), of onion seed heads, 406  
 Blight (nonpar.), of onion, 326  
 Blossom-end rot (nonpar.), of pepper 129, 186, 351; pimiento 259; tomato see host; watermelon 285  
 Blueberry: Phomopsis gall 151; powdery mildew 143, 151; Pucciniastrum goeppertianum 143, myrtilli 143; stunt (virus) 151  
 Boerhaavia: Albugo 270  
 Boltonia: streak virus description etc., 418  
 Boraginaceae: aster yellows virus 419  
 Borago officinalis: Ramularia leaf spot 382  
 Boron injury, to walnut 379  
 Botryodiplodia diplocarpa, 267  
 Botrytis sp(p.), on azalea (flower blight) 282; bean (pod rot) 397; begonia 350; Brussels sprouts 371; cabbage 371; Camellia (flower rot) 382; clover 279; delphinium 208; endive 372; lettuce (head rot, slime) 391, 397; lily 209; onion 199, 368, 370, 388; peony 209; strawberry 226, 301, 402; tulip 209  
 --- allii, 296, 318, 344, 405, 406  
 --- byssoidea, 405  
 --- cinerea, on artichoke 373; bean 134; brussels sprouts 384; cabbage 384, 390; castor bean 269; endive 385; fig 379; geranium 184; grape 381; lettuce 174, 373, 385; strawberry 279, 283; tomato 277  
 --- convoluta, 216  
 --- elliptica, 382  
 --- paeoniae, 217, 351  
 --- squamosa, 405  
 --- tulipae, 185, 351  
 Boysenberry: crown gall 403; Mycosphaerella rubi 354  
 Braschette (Brassica oleracea var.): downy mildew 371; ring spot (Mycosphaerella) 371  
 Bremia lactucae, 373, 385, 391  
 Broccoli: Alternaria leaf spot 152, (black) 128, 280, 327, (gray) 384; aster yellows (virus) 384; bacterial leaf spot (Pseudomonas maculicola) 371; blackleg 152; black rot 200, 280; downy mildew 128, 233, 327, 371, 384, 390; drop (Sclerotinia) 371; mosaic (virus) 233, 371, 384; ring spot (Mycosphaerella) 371, 389; root rot (Phytophthora) 371, (undet.) 384; wet weather injury 384; wirestem (Rhizoctonia) 371  
 Bromus: Claviceps purpurea 203, 212, 221, 347; Helminthosporium bromi 203; phyllody (undet.) 221; Pseudomonas coronafaciens var. atropurpurea 203, 212, 221, 309; Puccinia graminis 221; Pythium root necrosis 221;

- (*Bromus*) *Rhynchosporium secalis* 203; *Selenophoma bromigena* 203, 212, 309; *Septoria bromi* 203; *Stagonospora* sp. 221; *Ustilago bromivora* 347; *Xanthomonas translucens* 221
- Broomcorn: anthracnose 321
- Broussonetia: *Cercospora* 270
- Brown root rot (undet.), of tobacco 207, 238
- Brussels sprouts: black ring (virus) 372; cottony rot (*Sclerotinia*) 372; gray mold rot 371, 382; downy mildew 372; mosaic (virus) 372
- Buckwheat: stem rot (undet.) 162
- Bud drop (nonpar.), of camellia 337
- Bur clover: see *Medicago arabica*
- Burn (? high temperatures), of almond 377
- Cabbage: *Alternaria* leaf spot 152, (black) 128, 200, 218, 233, 259, 276, 280, 327, (gray) 158, 384, 390; aster yellows (virus) 371; bacterial soft rot 144, 172, 218, 277, 305, 345; blackleg 129, 145, 152, 185, 200, 211, 218, 277, 351; black ring (virus) 371; black rot 129, 145, 152, 158, 165, 172, 200, 211, 218, 233, 277, 280, 305, 327, 351; *Cercospora* leaf spot 371; club root 129, 145, 152, 165, 172, 200, 211, 218, 239, 390, 396; cottony rot (*Sclerotinia*) 371; cracked heads (nonpar.) 158; damping-off 218; downy mildew 129, 145, 218, 233, 262, 280, 327, 371, 384, 390; downy mildew-*Macrosporium* interaction 390; fly speck (virus) 396; frost injury 262; gray mold 371, 384, 390, as factor in seed crop 390; *Macrosporium* 390; mosaic (virus) 200, 327, 357, 384; powdery mildew 371; *Pythium* 218; ring spot (*Mycosphaerella*) 371, 390; rootknot 276; root rot (*Rhizoctonia*) 262, 371; (Cabbage) seed stalk infection (*Sclerotinia*) 390; soft rot (undet.) following worm injury 259; southern blight 277; stem rot (*Rhizoctonia*) 371; veinbanding virus symptom 396; watery soft rot (*Sclerotinia*) 280, 327, 351; wirestem (*Rhizoctonia*) 218; yellows (*Fusarium*) 129, 145, 158, 165, 172, 185, 196, 200, 211, 218, 233, 239, 277, 338, 345
- , Chinese; *Alternaria* (black) leaf spot 129; black rot 172; *Cercospora* leaf spot 371; fly speck (virus) 390; root-knot 351; rosette growth (? virus), 390; watery soft rot (*Sclerotinia*) 351
- Cactaceae: *Epiphyllum* mosaic virus 435
- Calceolaria: spotted wilt (virus) 382
- Callicarpa: *Cercospora* 270
- Callistephus: aster yellows (virus) 208, 350 description of viruses 418, 423; *Coleosporium solidaginis* 208; *Fusarium* wilt 208, 350
- Calonectria graminicola*, 214
- Calonyction: Albugo 270
- Camellia: bud drop (nonpar.) 337; flower rot (*Botrytis*) 382; flower spot (*Sclerotinia* camelliae) 382; yellow spot virus description etc., 426
- Campanulaceae: aster yellows virus 419
- Cane fruits (see also under individual plants): anthracnose 381; cane blight (*Leptosphaeria*) 381; crown gall 335; *Mycosphaerella* leaf spot 335; orange rust 335; *Septoria* 292, 381, 402; *Verticillium* 381
- Canker (undet.) of apricot, 404
- Canna mosaic virus, description etc., 426
- Cannabis sativa*: see hemp
- Cannaceae: canna mosaic virus 426
- Cantaloup: *Alternaria* blight 129,

- (Cantaloup) (*Alternaria* blight) 153, 166, 173, 197, 200, 218, 285, 318, 345, 352; angular leaf spot 153; anthracnose 129, 145, 153, 165, 173, 197, 200, 211, 218, 305; bacterial wilt 130, 165, 173, 211, 218, 285, 318, 345; damping-off (*Pythium*) 219; downy mildew 130, 200, 285, 328; fruit rot (*Fusarium*) 372, (*Phytophthora*) 345; *Fusarium* wilt 130, 165, 173, 211, 218, 357; mosaic (virus) 130, 145, 166, 197, 200, 211, 219, 328, 372; powdery mildew 153, 328, 345, 352, 356, 357, 372; *Pythium* 219; rootknot 328; scab 129, 145; *Septoria* 130; southern blight 328; *Verticillium* wilt 130; wilt (undet.) 391
- Capnodium elongatum*, 270, 272, 274, 276
- Caprifoliaceae: elder mosaic virus 474; *Lonicera variegation* virus 451
- Cardoon: powdery mildew 372; *Ramularia* leaf spot 373
- Carrot: *Alternaria* blight 132, 146, 153, 166, 173, 187, 197, 234, 239, 328, 352, 373; aster yellows (virus) 132, 187, 200, 328, 346, 373, 388, 391; bacterial blight, bacterial spot (*Xanthomonas*) 219, 373, on roots 373; bacterial rots 391; bacterial soft rot 219, 346, 373; black rot 396; *Cercospora* blight 132, 146, 153, 166, 187, 200, 357, 373, 385, 391; chlorosis (nonpar.) 391; *Cladosporium* 391; dodder 352; environmental injuries 263, 391; fungi assoc. with leaf spots 391; *Heterosporium* 391; leaf necrosis (nonpar.) 391; *Macrosporium* 391; *Mycosphaerella* 391; *Rhizopus* rot 153; root branching (nonpar.) 132; root crack 391; rootknot 153, 352, 373; root rot (undet., ? *Phytophthora*) 385; (Carrot) soft rots (undet.) 397; soil conditions 263, 391; southern blight or root rot 328, 373, 391; *Stemphylium* assoc. with leaf spot 391
- Carthamus tinctorius*: blight (*Gloeosporium*) 336
- Carya* sp.: *Microstroma juglandis* 337
- Caryophyllaceae, as hosts for viruses: aster yellows virus 419; carnation mosaic virus 434
- Cassia tora: powdery mildew 264; rootknot 264; root rot (*Rhizoctonia*) 264
- Castor bean: see *Ricinus*
- Catalpa: *Alternaria* 143; *Cercospora* 270
- Catface (nonpar.), of tomato fruit, 211
- Cauliflower: *Alternaria* leaf spot 371, (black) 128, 152, 390 see also *Macrosporium*, (gray) 384; aster yellows (virus) 384; bacterial spot, see peppery leaf spot; blackleg 351; black ring (virus) 371, 384; black rot 200, 259, 262; Brassica virus 3, 390; club root 128; downy mildew 371, 384; leaf necrosis and distortion (? virus) 390; *Macrosporium* (black) leaf spot 390, see also *Alternaria*; mosaic (virus) 371, 384, 390; peppery (bacterial) leaf spot (*Pseudomonas maculicola*) 128, 259; ring spot (*Mycesphaerella*) 371, 390; root rot (*Phytophthora*) 371, 384; virus symptoms 390; white rust 384; yellows (*Fusarium*) 200
- Cedrus: *Clitocybe* 270
- Celastraceae: hosts for *Euonymus* variegation virus 436
- Celastrus: *Ramularia celastris* 208
- Celery: abnormal plants (? virus or genetic), 388, 396; aster yellows (virus) 152, 370, 388; bacterial soft rot 144, 152, 345; black heart (nonpar.) 127, 370; boron deficiency 199, 370; calico (virus) 370;

- (*Celery*) chlorotic mottle (? virus 388, 396; cottony rot (*Sclerotinia*) 370; cracked stem 157; early blight (*Cercospora*) 127, 144, 152, 157, 165, 172, 196, 199, 218, 345, 370; filiform leaves (? virus) 388; *Fusarium* yellows 165, 172, 196, 345, 370, 383; late blight (*Septoria*) 127, 144, 152, 157, 165, 172, 196, 218, 199, 345, 351, 370, 383, 388, 396; mosaic (virus) 368; ---, calico type, 370, 388; ---, southern, 345; ---, western, 370; pink rot (*Sclerotinia*) 345, 383; rootknot 370; rosette growth (? virus) 396; spotted wilt (virus) 370; virus-like symptoms 388, 396; witches' broom (? virus) 388, 396
- root (*celeriac*): aster yellows 370; late blight (*Septoria*) 370
- Celtis*: *Septobasidium sydowii* 337
- Celtuce*: downy mildew 374
- Cenchrus pauciflorus*: *Sorosporium syntherismae* 203
- Cephalanthus* mosaic virus description etc. 427
- Ceratostomella fimbriata*, see *Endoconidiophora fimbriata*
- Cercospora* sp(p.), on cabbage, 371; clover, 279; cotton, 293, 325; *Erythrina*, 271; peanut, 257, 260
- *althaeina*, 276, 336
- *angulata*, 227
- *apii*, 127, 144, 152, 157, 165, 172, 196, 199, 218, 345, 370
- *arachidicola*, see *Mycosphaerella*
- *asiminae*, 270
- *asparagi*, 233, 351
- *beticola*, 128, 144, 152, 157, 168, 172, 183, 185, 198, 199, 207, 216, 228, 239, 307, 318, 326, 341, 344, 345, 349, 351, 354, 366, 368, 370, 371, 383, 389, 394, 396
- *broussonetiae*, 270
- *callicarpae*, 270
- (*Cercospora*) *capsici*, 2158, 259, 262, 280, 327
- *carotae*, 132, 146, 153, 166, 187, 200, 357, 373, 385, 391
- *catalpae*, 270
- *caulicola*, 318
- *cladosporioides*, 379
- *cornicola*, 271
- *cruenta*, 261, 277, 279, 286, 289, 320, 322, 334
- *cydoniae*, 271
- *daizu*, see *C. sojae*
- *effusa*, 261
- *elaeagni*, 271
- *fusca*, 282, 323
- *gossypina*, 283
- *ilicicola*, 272
- *leucosticta*, 273
- *longispora*, 265
- *medicaginis*, 222
- *meliloti*, 203
- *minima*, 283, 335
- *nicotianae*, 254
- *oryzae*, 282, 287, 333
- *pastinacae*, 134, 146, 154
- *personata*, see *Mycosphaerella berkeleyi*
- *rhuina*, 275
- *smilacis*, 276
- *sojina*, 149, 162, 168, 178, 191, 198, 235, 255, 265, 278, 282, 288, 320
- *sorgi*, 246, 252, 265, 282
- *stizolobiae*, 266
- *vignae*, 282
- *viridula*, 238
- *viticola*, 236
- *zeae-maydis*, first report in Ky. 246; Tenn. 252
- *zebrina*, 171, 179, 190, 191, 204, 282
- Cercospora* *albo-maculans*, 128, 158, 371, 390
- *caryigena*, see *Mycosphaerella*
- *mori*, 268
- *persicae*, 267
- Cercosporina kikuchii*, 178
- Cereal rusts: intensity scales 102; methods of appraising destructiveness and intensity, 99

- Chaenomeles japonica*: *Cercospora* 271
- Chard: curly top (virus) 351; downy mildew 371, 383; leaf spot (*Cercospora*) 128, 239, 371, 389, (*Ramularia*) 389; mosaic (virus) 371; rust 371, 389
- Chenopodiaceae, as hosts for viruses, aster yellows 419; --- --- ---, California strain, 423; delphinium ring spot 433; *Matthiola* mosaic viruses, mild, 451, severe 453
- Cherry: bacterial canker 380; black knot 236; brown rot 169, 195, 198, 205, 227, 236, 244, 324, 380, 394, 402; buckskin (virus) 380; chlorosis (iron deficiency) 365, 380; *Coryneum* blight 401; crinkle (virus) 365, 380; crown-gall 349, 353; deep suture disease (? virus) 365; dieback (undet. ? virus associated) 365, 366; frost injury 205, 227, 302; fruit cracking 403; lace leaf (transmissible) 404; leaf spot (*Coccomyces*) 150, 157, 169, 171, 182, 195, 199, 205, 227, 236, 244, 291, 302, 324, 341, 380, 394, effect of control on winter killing 205; little leaf (zinc deficiency) 380; mosaic (virus) 349; mottleleaf (virus) 403; necrotic ring spot (virus) in Wis. 205; *Penicillium* 402; pockets 308; powdery mildew 227, 341, 349, 365; pucker leaf (undet.) 404; rasp-leaf (virus) 349, 365, 403; *Rhizopus* rot 402; ring spot or lace leaf (virus) 365; ring spot pattern (undet.) 404; root drowning 365; rough bark canker, transmitted to peach 404; rusty mottle (virus), symptoms resembling 365; sap rot (*Schizophyllum*) 349; virus diseases as factor in dieback 365, 366; wilting disease (undet., ? virus) 365; winter injury 205, 341, 365, 366, 403;
- (Cherry) yellows (virus) 205  
---, choke: red leaves, connection with western-X virus disease not demonstrated, 404  
---, flowering: rough-bark virus, description, etc. 467  
---, plum hybrids: leaf spot 216  
---, sand: brown rot blossom blight 216
- Chestnut: blight 378
- Chicory: spotted wilt (virus) 372
- Chives: downy mildew 370
- Chlorosis, iron deficiency, see under deficiency diseases  
---, lime-induced, on fruits and trees, 403  
---, nonpar., of apricot 349; bean 331; carrot 391; citrus 335; cucumber 328; nectarine 349; ornamental trees and shrubs 337, 338; peach 334, 348; spinach 332; tomato 330  
---, undet., of prune 404
- Chlorotic dwarf, undet., of pine 238, 244
- Choanephora cucurbitarum*, 131, 159, 186, 263
- Chrysanthemum*: *Aphelenchus* sp. 184; *Coleosporium* 208; mosaic (virus) 350; powdery mildew 208, 350; *Septoria* 184; *Verticillium* wilt 184
- Chrysomyxa cassandrae*, 199
- Cicer arietinum*: mosaic (virus) 372
- Cineraria* streak virus, description, etc., 474
- Cistaceae: hosts for aster yellows virus, 419
- Citron: charcoal rot 328
- Citrus: *Alternaria* (black) rot 335, 379; *Armillaria* root rot 379; *Botryodiplodia* dieback 267; brown rot (*Phytophthora*) 378; chlorosis (nonpar.) 335, 378; *Clitocybe* root rot 267; cottony rot (*Sclerotinia*) 378; decline (undet.) 268, 353; *decorticus* (*Diaporthe*) 378; deficiency diseases 267, 378; *Diplodia* 267; dodder, 268, 271; endoxerosis (water relations) 379; *penicillium*



- (Citrus) exanthema (copper deficiency) 378; foot rot (Phytophthora) 268; Ganoderma 268; gummosis (Phytophthora) 378; low temperature injury 378; mangarese deficiency 378; melanose 267, 282, 335; mottle leaf (zinc deficiency) 378; Penicillium (blue mold, green mold) 335, 378; psorosis A (virus) 353; saline water injury 268; scab 267, 282, 335; Septoria fruit spot 378; stem-end rot 335; stylar-end rot 267; Trichoderma rot 378; Ustilina 268; water spot 378, 379
- Cladosporium sp., on beet 389; carrot 391; hops 395; tomato (soil rot of fruit) 392
- carpophilum, 149, 156, 163, 168, 194, 205, 226, 290, 301, 323, 377, 378
- cucumerinum, 129, 130, 131, 145, 261, 267, 282, 323, 335
- fulvum, 133, 146, 153, 160, 166, 175, 187, 201, 239, 297, 346, 374
- paeoniae, 209
- pisicola, 375, 386
- Claviceps microcephala, 399
- purpurea, 167, 178, 202, 203, 212, 214, 221, 223, 240, 242, 299, 306, 307, 309, 310, 320, 339, 343, 347
- Clitocybe tabescens, 266, 267, 270, 283
- Clover: see Trifolium
- , Alyce: see Alysicarpus
- , bur: see Medicago
- , sour: see Melilotus
- , sweet: see Melilotus
- Coccomyces hiemalis, 150, 157, 169, 171, 182, 195, 199, 205, 216, 227, 236, 244, 291, 302, 324, 341, 380, 394
- brunophorae, 157
- Coffeeweed: see Cassia tora
- Coleosporium sp., on Chrysanthemum, 208
- elephantopodis, 271; parasitized by Ramularia coleosporii, 271
- (Coleosporium) ipomoeae, 238, 272, 275
- solidaginif, 208
- vernoniae, 276
- viguierae, 276
- Collards: black rot 276; blackleg 276; ring spot (Mycosphaerella) 276; rootknot, 276, 327
- Colletotrichum sp., on asparagus 388; Elaeagnus 271; horseradish 161; vetch 282
- atramentarium, 161
- brassicae, 277
- circinans, 127, 144, 199
- destructivum, 281
- falcatum, 261, 280, 283
- gloeosporioides, 268
- glycines, see Glomerella
- graminicolum, 167, 203, 204, 212, 282, 321
- humuli, 151
- lagenarium, 129, 130, 131, 145, 153, 165, 166, 173, 186, 200, 211, 218, 239, 249, 285, 305, 318, 328, 345, 352
- lindemuthianum, 134, 147, 154, 166, 201, 211, 220, 234, 240, 251, 260, 277, 286
- lineola, 252, 265, 278
- linicolum, 213, 222, 376
- nigrum, 280
- phomoides, 133, 146, 153, 166, 175, 187, 197, 200, 211, 245, 277, 296
- pisi, 201
- spinaciae, 332
- trifolii, 278, 281, 282, 353
- truncatum, 319
- Compositae: as hosts for viruses: aster yellows virus 419; Boltonia streak virus 419; cineraria streak virus 475; dahlia mosaic virus 829; Emilia variegation virus 435
- Conifer blight undet., on Cupressus, 337
- Coniothyrium fuckelii, 164 (see also Leptosphaeria coniothyrium)
- Conopholis americana, on linden 276; oak 275; sweetgum 273; tobacco 254

- Convallaria mosaic virus, description etc., 428
- Convolvulus: Puccinia convolvuli 208
- Cork, external, of apple, 253
- Corn: Aspergillus 156, 192, 300; bacterial leaf spot and top rot (undet., apparently new) 313, 316; bacterial stalk rot (Phytophthora dissolvens) 300; bacterial wilt and leaf blight (Bacterium stewartii) 140, 167, 180, 192, 204, 225, 246, 252, 290, 300; black bundle (Cephalosporium and other causes) 192, 225; brown spot (Physalospora) 181, 279, 282, 290; Cercospora sorghi 252; Cercospora zeae-maydis, in Ky. 246, Tenn. 252; charcoal rot 193, 290, 301, 312, 314, 316, 323, 348, weather relations, 314; cob rot (Nigrospora) 156, 181, 193, 204, 225, 300, 311, 312, 316; damping-off (Rhizoctonia) 282; Diplodia 149, 155, 162, 167, 171, 180, 181, 192, 204, 215, 225, 252, 279, 289, 300, 311, 312, 316, 323, 334; drought injury 162, 246, 284, 317; ear rots 149, 155, 156, 162, 167, 171, 181, 192, 193, 204, 215, 225, 246, 252, 261, 279, 282, 289, 300, 308, 311, 312, 316, 323, 334, 343, 348, 377; foot rot 311; fungi associated with necrotic mesocotyls and primary roots, 73, 74; Fusarium sp(p.) 180, 181, 193, 215, 225, 307, 311, 323, 343, 348; Fusarium moniliforme 149, 156, 162, 246, 252, 261, 279, 282, 289, 300, 313, 316, 343, 377; Gibberella 149, 156, 167, 180, 193, 204, 225, 289, 300, 311, 316; Helminthosporium blights 140, 162, 167, 171, 181, 193, 235, 242, 246, 252, 279, 282, 289, 334; Hormodendron 181; insect injuries 181, 323; kernel rot 181, 204; leaf firing 246; meadow nematode 334; mosaic (virus) 282;
- (Corn) Penicillium 156, 181, 193, 204, 300; poor stands due to poor 1942 seed crop, 215; potassium deficiency 252; Pythium 156, 193, 225, 290, 348; Rhizopus 193; root necrosis 225; root rot (undet.) 313, 316, (various) 162, 193, 215, 225, 290; rust 181, 193, 204, 225, 246, 252, 266, 282, 290, 301, 311, 313, 316, 343, 377; seed rot 301, 348; seed treatment 63, 215; seedling blight 181, 204, 215, 343, 348; seedling decay 301; smut 140, 149, 156, 162, 163, 167, 181, 193, 204, 215, 225, 242, 246, 252, 261, 279, 282, 290, 301, 307, 311, 312, 316, 323, 334, 340, 343, 348, 353, 362, 377; ---, head (Sphacelotheca reiliana) 395; stalk rot 162, 167, 180, 192, 204, 215, 225, 282, 289, 300, 307, 311, 312, 313, 316, 323, effect of insect injury 181; wet weather injury 317
- , sweet: seed treatment 7, 93
- Cornus: Cercospora 271; Meliola 271
- Corticium sp., on fig (leaf blight) 282
- fuciforme, 139
- galactinum, 236
- microsclerotia, 282
- salmonicolor, 282, 283
- solani, see Pellicularia filamentosa
- stevensii, see Pellicularia koleroga
- Corylus: Gloeosporium 208
- Corynebacterium flaccumfaciens, 166, 197
- insidiousum, see alfalfa: bacterial wilt
- michiganense, see tomato, bacterial canker
- senedonicum, see potato bacterial ring rot
- Coryneum carpophilum (C. beijerinckii), 348, 349, 363, 377, 378, 380, 401

- (*Coryneum*) *kunzei*, 338
- Cotton: *Alternaria* leaf spot 237, 280, 293, 325, 354; angular leaf spot 237, 261, 280, 283, 292, 293, 302, 326, 336, 354; anthracnose 261, 280, 283, 292; *Ascochyta* blight 280; bacterial boll infection 293; boll rots and injuries 237, 261, 269, 283, 293, 326, 354; *Cercospora* leaf spot 283, 293, 325, 336; charcoal rot 269; crinkle-leaf (nonpar.), 283; damping-off 283, 292; deficiency diseases (see also nitrogen, potassium, deficiency) 293, 326; *Diplodia* 269, 283; drought injury 284, 292, 293, 317; *Fusarium* boll rot 237, 261, 354; *Fusarium* wilt 253, 261, 280, 283, 292, 293, 302, 325, 336; *Macrosporium* leaf spot 336; manganese toxicity 283; nitrogen deficiency 354; *Phymatotrichum* root rot 293, 325, 336, 354; potassium deficiency 253, 283, 293, 302; *Rhizoctonia solani* 283, 302; rootknot 261, 280, 283, 292, 293, 302, 337; "rust", nonpar., see potassium deficiency; rust (*Puccinia stakmanii*) 336, 354; seedling diseases 280, 283, 292, 302; soil acidity injury 283; *Verticillium* wilt 283, 293, 326, 336, 354, 332; wet weather injury 292
- Cowpea: *Amerosporium* leaf spot 235, 261, 266; ashy stem blight, see with charcoal rot; bacterial canker, bacterial crown canker, 269, 322, 334; bacterial leaf and pod blight 289; bacterial spot 261, 279; *Cercospora* spot (*C. cruenta*) 261, 279, 289, 322, 334, (*C. dolichi*) 266, (*C. vignae*) 282; charcoal rot 282, 289, 322, 334, 376; *Fusarium* root rot 376; *Fusarium* wilt 261, 279, 282, 289, 322, 334, 376; mosaic (virus) 255, 282, 289, 334;
- (Cowpea) *Phymatotrichum* 334; powdery mildew 261, 279, 322, 334, 376; *Rhizoctonia solani* 266, 282, 334, 376; rootknot 266, 279, 376; root rot 266, 334, 376; rust 322, 334; southern blight or wilt 279, 282, 334; stem canker 282; stem rot 334, *Verticillium* wilt 376
- Cracked stem (nonpar.), of celery 157
- Cracking (nonpar.), of cabbage heads 158; carrot roots 391; cherry fruit 403; eggplant fruit 161; peas 320; potato tubers 138, 320, 347; sweetpotato 160; tomato fruit 161, 297
- Cranberry: false blossom (virus) 206; storage rots 206
- Crataegus: *Entomosporium* 271; *Gymnosporangium* 283; *Phyllactinia* 271
- Crinkle (undet.), of sweet cherry 365
- Crinkle-leaf (nonpar.), of cotton 283
- Cronartium fusiforme*, 274  
--- *ribicola*, 206, 227
- Crotalaria*: charcoal rot 333; *Phymatotrichum* 333; powdery mildew 264
- Crown rot (undet.), of sugar beet 367; turnip 368
- Cruciferae, as hosts for viruses: aster yellows virus 420; California aster yellows virus 424; *Matthiola* mosaic viruses, mild 451, severe 453
- Crucifers (see also under individual crops): black rot 327; downy mildew 327
- Cryptosporiella viticola*, 195, 381
- Cucumber: angular (bacterial) leaf spot 130, 166, 200, 391; anthracnose 130, 145, 153, 166, 239, 249; bacterial wilt 130, 145, 153, 166, 173, 186, 200, 211, 285, 296, 318, 338, 345; chlorosis (nonpar.) 328;

- (Cucumber) cottony leak (*Pythium*) 281; downy mildew 130, 263, 281, 318, 328, 372; frost injury 200; leaf blight (*Alternaria*) 200, 318; mosaic (virus) 130, 145, 166, 200, 296, 328, 345, 357, 372, 391, (white pickle) 391; powdery mildew 130, 145, 153, 200, 352, 372; rootknot 173, 263; scab 130, 145, 200; seed treatment studies 58, 93; sun scald, 131; wind injury 263
- Cucurbita moschata*: mosaic (virus) 328
- Cucurbitaceae: as hosts for delphinium ring spot virus, 433
- Cupressus arizonica*: conifer blight (undet.) 337
- Curly top (manganese deficiency), of *Arecastrum*, 270
- (virus), see under virus diseases
- Currant: anthracnose 150, 206, 402; *Cercospora* leaf spot 227; *Mycosphaerella* leaf spot 183, 227; powdery mildew (*Sphaerotheca*) 216, 227, 402; rust (*Gronartium ribicola*) 206, 227, (*Puccinia grossulariae*) 227
- Cuscuta* sp., 249; on alfalfa 353, 361, 376; carrot 352; lespedeza 249
- *americana*, 268, 271
- *arvensis*, 327
- *campestris*, 374
- *compacta*, 271
- Cyamopsis: see guar
- Cycloconium oleaginum*, 379
- Cylindrosporium fraxini*, 271
- *pastinacae*, 201
- Cymadothea trifolii*, 149, 204, 224, 282
- Cynodon dactylon*: *Helminthosporium*, 264
- Cytospora* sp., on peach, 399
- *chrysosperma*, 308, 350
- *sacchari*, 283
- Dactylis glomerata*: *Colletotrichum graminicolum* 212
- Dahlia: mosaic (virus) 208, 350, (Dahlia) (mosaic) (virus) 382, description etc. 428; spotted wilt (virus) 382, 429; streak (virus) 429
- Daphne mosaic virus, description etc., 430
- Darluka filum*, 157; 272
- Date: see *Phoenix dactylifera*
- Datisceae: hosts for aster yellows virus 420
- Datura* viruses, description etc., mosaic 431, quercina 431, virosis 432
- Decline (undet.), of avocado 380; citrus 263, 353
- Delphinium ring spot virus, description etc. 432
- Deep suture disease (undet.), of sweet cherry, 365
- Deficiency diseases, of citrus 267; cotton 293
- , boron deficiency, of alfalfa 140; apple 341, 379; beet 152, 199, 370, 389; broad bean 282; celery 199, 370; lettuce 374; olive 379; radish 375; rutabaga 199, 233; sugar beet 207, 381; sunflower 399
- , copper deficiency, exanthema of citrus 378
- , iron deficiency, chlorosis of apple 353, 363; apricot 353; cherry 365, 380; citrus 378; grape 354, 366; peach 353, 363, 378; pear 366, 381; plum 366; raspberry 366; strawberry 353
- , magnesium deficiency, leaf scorch of apple 142
- , manganese deficiency, of *Arecastrum* (curly top) 270; citrus 378; cotton 326
- , nitrogen deficiency, of cotton 354; peach 353; sugar beet 341, 354
- , phosphorus deficiency, of beet 345; pear 349; sugar beet 341; 350; tobacco 249; tomato 352
- , potassium deficiency, of corn 252; cotton 253, 283, 293, 302, 326; plum 380;

- (Deficiency diseases, potassium deficiency) of tobacco  
207, 249; velvet bean 266
- , zinc deficiency, little leaf of almond 378; apple 279; apricot 380; cherry 380; grape 381; peach 378; plum 380; walnut 379
- , --- ---, mottle leaf of citrus 378
- , --- ---, pecan rosette 261, 335, 353
- Delphinium: black spot (bacterial) 208, 216; Botrytis blight 208; powdery mildew 350; ring spot virus description etc. 432
- Dematium pullulans, 399
- Dendrophoma obscurans, 215, 279, 291, 324
- Desmodium tortuosum: powdery mildew 265
- Destructiveness, of cereal rusts, methods of appraising, 107
- Dewberry: anthracnose 206
- Dianthus caryophyllus: Alternaria branch rot and leaf spot 350; carnation mosaic virus, description etc., 434; Fusarium branch rot 184; Fusarium wilt 350; Rhizoctonia stem rot 184; rust 184, 350
- Diaporthe sp., on bean (root rot) 277
- batatatis, 174, 277
- citri, 267, 282, 283, 335, 378
- phaseolorum, 146, 281
- --- var. sojae, see D. sojae
- sojae, 168, 178, 191, 198, 223, 256, 278, 282, 288, 299, 313, 320
- Dibotryon morbosum, 144, 205, 227, 236, 349
- Dichondra: Sclerotium rolfsii 382
- Didymella applantata, 150, 157, 164
- Didymellina iridis, 209, 216, 350, 382
- Dieback, boron deficiency, of olive, 379
- , potassium deficiency, of plum, 380
- (Dieback) undet., of apricot 365, cherry 365, 366
- Dimeriella melioides, 270
- Diplocarpon earliana, 205, 283, 335, 402
- rosae, 185, 209, 228, 338, 351, 383
- Diplococcum sp. (?), on Vitis, 269
- Diplotelia sp., on grape (fruit rot) 381; watermelon (blossom-end rot) 318
- frumenti, 292, 323, 325
- gossypina, 283
- longispora, 338
- natalensis, 267, 269, 272, 335
- tubericola, 277, 281, 318
- zaeae, 75, 149, 155, 162, 167, 171, 180, 181, 192, 204, 215, 225, 252, 279, 289, 300, 311, 312, 316, 323, 334
- Dipsacaceae: hosts for aster yellows virus, 420
- Discoloration, of potato tubers, 202
- Disease destructiveness, methods of appraising, 99
- Diseases, in Alabama 276; Arizona 351; Arkansas 284; California 369, 383; Colorado 344; Delaware 157; Florida 262; Georgia 259; Idaho 400; Illinois 185; Indiana 169; Iowa 217; Kansas 313; Kentucky 245; Louisiana 280; Maryland 157; Michigan 196; Minnesota 210; Mississippi 280; Missouri 294; Montana 338; Nebraska 311; Nevada 367; New England 126; New Mexico 351; New York 144; North Dakota 305; Ohio 165; Oklahoma 317; Oregon 386; Pennsylvania 152; South Dakota 308; Tennessee 249; Texas 326; Utah 354; Virginia 233; Washington 396; West Virginia 239; Wisconsin 199; Wyoming 342
- , loss estimates, methods of improving accuracy, 99

- Ditylenchus dipsaci*, on alfalfa 376; strawberry 279  
 Dock mosaic virus, description etc. 473  
*Doronicum*: powdery mildew 382  
 Drought spot (nonpar.), of apple 341; prune 403  
 Dying, undet. of peach trees, 252  
 Eggplant: *Alternaria* leaf spot 135, 147, 154; anthracnose 161; *Ascochyta* fruit rot 393; bacterial wilt 264, 281; frost injury 264; fruit cracking 161; *Fusarium* sp. 352; *Fusarium* wilt 161, 235, 287; mosaic (virus) 135; *Phomopsis* blight 135, 147, 154, 161, 189, 201, 235, 264, 281, 331; *Phymatotrichum* root rot 331; rootknot 264, 331; southern blight or wilt 281, 287, 331; *Verticillium* wilt 135, 147, 154, 161, 166, 176, 189, 346, 352, 359; wilt (undet., *Verticillium*-like) 393; yellows 331  
*Elaeagnus*: *Cercospora* 271; *Colleotrichum* 271  
 Elder mosaic virus, description etc., 474  
*Elephantopus*: *Coléosporium* 271  
 Elm: see *Ulmaceae*, *Ulmus*  
*Elsinoë fawcetti*, 267, 282, 335  
 --- *randii*, 267  
 --- *veneta*, 142, 150, 157, 164, 169, 183, 195, 206, 216, 227, 244, 291, 325, 381  
*Emilia*: *Puccinia emiliae* 271; variegation virus, description etc. 435  
*Endive*: aster yellows (virus) 173, 186, 327, 372; *Botrytis* 372, 385; rust 372; *Sclerotinia* (cottony rot, drop, watery soft rot) 351, 372, 385  
*Endoconidiophora fimbriata* (*Ceratostomella fimbriata*), 60, 159, 174, 187, 219, 245, 250, 260, 281, 285, 319, 329, 352, 373  
*Endothia parasitica*, 378  
 Endoxerosis (nonpar.), of lemon, 379  
*Englerulaster orbicularis*, 272  
 Enlarged lenticels (weather), of potato tubers, 320  
*Entyloma meliloti*, 282  
 --- *oryzae*, 282, 287, 333  
 --- *polysporum*, 216  
 Environmental injury, to carrot, 263 (See also weather injury)  
*Epicoccum* sp., on beet (leaf spot) 389  
*Epilobium angustifolium*: *Pucciniastrum pustulatum*, 208  
*Epiphyllum* mosaic virus, description etc. 435  
*Erwinia amylovora*, 141, 150, 156, 164, 168, 169, 194, 195, 205, 206, 216, 226, 236, 242, 283, 291, 301, 308, 311, 324, 325, 335, 341, 344, 349, 353, 363, 379, 380, 383, 402  
 --- *aroideae*, 383  
 --- *carotovora*, on cabbage 144, 172, 218, 277, 305, 345; carrot 219, 346, 373; celery 144, 152, 345; iris 209; lettuce 385; onion 171, 217, 318, 406; potato (for blackleg see *E. phytophthora*) 177, 241, 347; tomato 357  
 --- *phytophthora*, 136, 147, 154, 166, 189, 197, 202, 212, 220, 297, 306, 309, 339, 342, 347, 352, 359, 393  
 --- *tracheiphila*, 130, 131, 145, 153, 159, 165, 166, 173, 186, 200, 211, 218, 285, 296, 318, 338, 345  
*Erysiphe* sp., on cardoon 372; *Doronicum* 382; *Lagerstroemia* 337  
 --- *cichoracearum*, on cantaloup 153, 328, 345, 352, 356, 357, 372; chrysanthemum 208; cucumber 130, 145, 153, 200, 352, 372; peony 209; phlox 185, 283; pumpkin 132, 145, 352; squash 131, 145, 234, 328, 352, 372, 385;

- (*Erysiphe cichoracearum*) sunflower 143, 207, 228; *Xanthium* 276; zinnia 351, 383
- graminis, on barley 167, 203, 221, 278, 298, 333, 347, 361, 376; grasses 202, 203, 223; oats 298; wheat 167, 334, 343, 348, 362
- polygona, on bean 166, 235, 260, 277, 286, 330, 352, 375, 335; cabbage 371; clover 140, 149, 155, 162, 204, 224, 278, 282, 368, 395; coffeeweed 264; cowpea 261, 279, 322, 334, 376; *Crotalaria* 264; delphinium 350; hydrangea 350; kale 371; Lima bean 320; mustard 351, 372, 386; pea 135, 201, 281, 320, 331, 339, 342, 346, 375, 386; rutabaga 351, 389; sweetpea 184, 350; turnip 351, 357, 368, 390
- Erythrina*: *Cercospora* 271
- Escarole: *Alternaria* leaf spot 263
- Eucalyptus: *Polyporus sulphureus* 382
- Euonymus*: *Phymatotrichum* root rot 337; powdery mildew 337; variegation virus description etc. 436
- Exanthema (copper deficiency), of citrus 378
- Exobasidium azaleae*, 283
- *vaccinii*, 273, 382
- Fabraea maculata*, 142, 169, 271, 283, 324
- Fig: *Botrytis* branch blight and fruit rot 379; *Cephalosporium* leaf spot 282; endosepsis (*Fusarium moniliforme*) 379; *Macrophoma* canker 282; mosaic (virus) 379; nematode root canker (meadow nematode) 379; *Phymatotrichum* root rot 335; rootknot 335; rust 282, 335; twig and leaf blights (*Corticium*, *Pellicularia*) 282
- Flax: anthracnose 213, 222, 376; browning disease (*Polyspora*) 307; *Fusarium* assoc. seedling blight and root rot 213; *Fusarium* wilt 213, 222, 307; heat canker (nonpar.) 307, 340;
- (Flax) *Helminthosporium* 213; pasmo 203, 210, 214, 222, 305, 307, 308, 310, 340, 376; *Pythium* damping-off and root necrosis 222; *Rhizoctonia* 213; root rot (various fungi) 213; rust 213, 222, 307, 310, 340, on resistant vars. 213; seedling blight (various fungi) 213
- Fomes applanatus*, 383
- Fortunella*: melanose 283
- Fraxinus*: *Cylindrosporium fraxini* 271; *Gloeosporium* sp. 311; *Puccinia peridermiospora* 143, 308, 311; variegation virus, description etc. 437
- Frenching (undet.), of tomato 207
- Fruit cracking, see under cracking
- crops: virus disease problem 394
- injury, undet., of apple 404
- pox, undet., of tomato, 154
- rot, undet. of pepper, 158
- spot, nonpar., of apricot 404; undet. of olive 379
- Fumago* sp., on hops 395
- vagans, on hops, 151
- Fungicides tested in seed treatment studies, 5, 46, 63
- Fusicladium photinicola*, 383
- Fusarium* sp(p.), on apple (core mold) 205; asparagus 152, 157; barley 212, 213, 222, 298; bean 134, 147, 154, 240, 286, 330; beet 351, 389; cantaloup 130, 165; carnation 184; corn 73, 181, 193, 204, 215, 225, 307, 311, 343, 348; cotton (boll rot) 261; cowpea 334; eggplant 161, 235, 287, 352; flax 213; gardenia (root rot) 350; gladiolus 283, 350; guar 353; guayule 354; lima bean (pod rot) 188; melon (fruit rot) 372; narcissus (bulb rot) 351, 382; oats 212, 221, 298; onion 127, 318, 326, 356; pea (root rot, seed decay) 135, 166, 220; peanut 325; pepper 152, 158, 186, 285; potato (tuber rot) 398, (wilt) 166, 369;

- (*Fusarium*) pumpkin (wilt) 159;  
rutabaga (root rot) 210; sorghum  
266, 321, 348; soybean 155,  
256; spinach 352; squash  
159, 345; strawberry 215; sugar  
beet 344, 349; sweetpotato 329;  
tomato (fruit rot) 392; wheat  
215
- annum, 158, 280, 327, 351  
--- avenaceum, on potato, 202  
--- batatatis, see *F. oxysporum*  
f. batatas  
--- hyperoxysporum, see *F. oxy-*  
*sporum* f. batatas  
--- javanicum var. radicum, see  
*F. solani* f. radicum  
--- moniliforme, on corn, 73, 75,  
149, 156, 162, 246, 252, 261,  
279, 282, 289, 300, 313, 316,  
323, 343, 348, 377; cotton 237,  
283; fig 379; onion 406; sugar-  
cane 283  
--- oxysporum, on potato 197, 278,  
306, 309, 343, 347, 352, 359;  
sweetpotato (surface rot) 219  
--- --- f. apii, 165, 172, 196,  
345, 370, 383  
--- --- f. batatas, 60, 159, 174,  
187, 219, 234, 245, 250, 260,  
277, 281, 286, 319, 373  
--- --- f. callistephi, 208, 350  
--- --- f. cepae, 344  
--- --- f. conglutinans, 129, 145,  
158, 165, 172, 185, 196, 200,  
211, 218, 233, 239, 277, 338,  
345  
--- --- f. dianthi, 350  
--- --- f. gladioli, 184, 382  
--- --- f. lini, 213, 222, 307  
--- --- f. lycopersici, see tomato,  
*Fusarium* wilt  
--- --- f. medicaginis, 353, 377  
--- --- f. melonis, 173, 186, 211,  
218, 357  
--- --- f. nicotianae, 249  
--- --- f. niveum, 218, 249, 281,  
285, 318, 328, 352, 372  
--- --- f. pisi, race 1, 201, 211,  
386; race 2, 201, 211  
--- --- f. tracheiphilum, 173,  
261, 279, 282, 288, 289, 321,  
322, 376
- (*Fusarium oxysporum*) f. vasinfectum  
253, 259, 261, 276, 278, 280,  
283, 293, 302, 325, 336, 351  
--- roseum, 354  
--- solani, 347  
--- --- f. cucurbitae, 131  
--- --- f. eumartii, 136, 148,  
154, 220, 297, 342, 347, 359  
--- --- f. phaseoli, 134, 176,  
188, 201, 251, 297, 339, 342,  
346, 352, 358, 375, 376  
--- --- f. pisi, 201, 342, 346,  
350, 352, 375, 386  
--- --- f. radicum (javanicum  
var. radicum), 347  
--- spinaciae, 332  
--- trichothecoides, 347  
--- tricinatum, 391  
Gaillardia: white smut 216  
Gall, undet., on *Myrica* 273;  
Mandarin roots 338; *Rhus* 273  
Ganoderma applanatum var. tornatum,  
268  
--- zonatum, 270, 275  
Gardenia: chlorosis (nonpar.)  
337; *Fusarium* root rot 350  
Garlic: white rot 280  
Gaultheria: *Gloeodes pomigena*  
208; *Leptothyrium pomi* 208  
Geraniaceae, hosts for viruses:  
*Pelargonium* leaf curl, 460;  
*Pelargonium* mosaic 461  
Gesneriaceae: hosts for aster  
yellows virus 420  
Giant hill (undet., ? virus), of  
potato 155, 347  
Gibberella sp., on corn, 289  
--- fujikuroi (see also *Fusarium*  
moniliforme), on corn, 180  
--- zeae, on barley, 167, 177,  
198, 203, 210, 212, 213, 222,  
242, 298, 305, 306, 310, 376;  
corn, 73, 75, 149, 156, 167,  
180, 193, 204, 225, 300, 311,  
316; oats 221; rye 167, 203;  
wheat 140, 167, 171, 179, 191,  
198, 204, 215, 224, 242, 279,  
299, 305, 307, 310, 377  
Girdle, of alfalfa (? insect  
activity) 333, 353; of walnut  
(graft incompatibility) 379



- Gladiolus*: bacterial corm decay 337; bacterial spot (*Xanthomonas*) 208; dry rot (*Sclerotinia*) 337; *Fusarium* (corm rot, root rot) 184, 283, 350, 382; hard rot (*Septoria*); leaf and crown rot (*Rhizoctonia*) 337; mosaic (virus) 208, description of virus 438; mosaic of bean, associated with, 393; *Penicillium* rot 382; *Pseudomonas marginata* (bacterial stem rot) 283, (scab) 184, 208, 350, 382; root-knot 283; thrips injury 209
- Gloeocercospora sorghi*, 265, 282
- Gloeodes pomigena*, 150, 156, 182, 194, 206, 208, 226, 242, 246, 253, 291, 324
- Gloeosporium* sp., on *Fraxinus* 311; safflower 336
- *coryli*, 208
- *piperatum*, 145, 152, 280, 327
- Glomerella cingulata*, 141, 157, 158, 164, 168, 171, 182, 194, 209, 226, 236, 242, 247, 253, 259, 268, 301, 335
- *glycines*, 168, 178, 191, 198, 223, 256, 265, 288, 312, 314, 321
- *gossypii*, 261, 280, 283
- Gnomonia nerviseda*, 282, 324
- *ulmea*, 229, 317
- *veneta*, 383
- Gonatobotryum maculicola*, 272
- Gooseberry: anthracnose 206; *Cercospora* leaf spot 227; *Cronartium ribicola* 206, 227; crown-gall 354; *Mycosphaerella* leaf spot 150, 183, 227; powdery mildew (*Sphaerotheca*) 150, 206, 227, 402; *Puccinia grossulariae* 206, 227
- Gordonia*: *Meliola* 271
- Graft incompatibility, in walnut, 379
- Grape: anthracnose 336; *Armillaria* root rot 381; black measles (undet.) 381; black rot 143, 151, 157, 169, 183, 196, 206, 228, 236, 244, 283, 292, 302, 325, 335; (Grape) *Botrytis* rot 381; "California disease" 336; *Cercospora* 236; dead-arm 195, 381; *Diplodia* rot 381; downy mildew 143, 151, 157, 169, 196, 206, 228, 244, 292, 325, 336; frost injury 228; *Glomerella cingulata* 157; iron deficiency 354, 366; leaf spot (undet.) 404; little leaf (zinc deficiency) 381; Pierce's disease (alfalfa dwarf virus) 381; powdery mildew 151, 169, 196, 244, 281, 402; *Rhizoctonia solani* 283
- , bird: see *Vitis munsoniana*
- , muscadine: see *Vitis rotundifolia*
- Graphiola phoenicis*, 338
- Grasses: bacterial leaf blights 308; ergot 212, 320; rusts 320
- Grevillea*: gummosis 272
- Guar: *Fusarium* 353
- Guava: see *Psidium*
- Guayule: *Fusarium* 354; *Phymatotrichum* root rot 337; *Phytophthora* crown rot 337
- Guignardia aesculi*, 143, 270
- *bidwellii*, see grape, black rot
- Gummosis, on *Grevillea* (undet.) 272; laurelcherry (undet.) 275; peach (nonpar.) 348
- Gymnoconia peckiana*, 151, 195, 206, 227, 291, 325
- Gymnosporangium clavipes*, 141, 150, 156, 182, 194, 247, 253
- *exiguum*, 337
- *globosum*, 141, 283
- *juniperi-virginianae*, 141, 150, 156, 164, 168, 182, 194, 205, 216, 226, 228, 236, 243, 253, 291, 301, 311, 324
- *libocedri*, 394
- Hamamelis virginiana*: *Gonatobotryum maculicola*, 1st rept. in Fla., 272
- Haywire, undet. (virus suspected), of potato, 281, 332, 343, 347
- Heat canker (nonpar.), of flax 307, 340; plum fruit 157

- Hedera: oedema (undet.), 216  
 Helianthus sp.: Puccinia helianthi 209. See also sunflower  
 Helminthosporium sp(p.), on barley 167, 210, 212, 213, 222, 278, 298, 305, 306; bermuda grass 264; corn 75, 246, 252, 282, 290; flax 213; sorghum 321; soybean 257; wheat 214, 215, 343  
 --- avenae, see Pyrenophora  
 --- bromi, 203  
 --- gramineum, 203, 213, 222, 298, 306, 310, 339, 343, 347, 376  
 --- maydis, 235  
 --- ocellum, 265, 270  
 --- oryzae, 282, 287, 333  
 --- papulosum, 142, 156, 164, 169, 182, 243  
 --- sativum, 198, 203, 204, 210, 213, 222, 278, 298, 305, 306, 307, 310, 322, 343, 348, 376  
 --- teres, 203, 222, 376  
 --- turcicum, 140, 162, 167, 171, 179, 181, 193, 204, 235, 242, 252, 278, 279, 289, 333, 334  
 --- vagans, 203, 214  
 Helminthosporium-like eye spot, on rice and witch-grass, 265  
 Hemp: southern blight, 253  
 Hendersonia rubi, 400  
 Heterodera marioni, on bean, 235, 251, 260, 277, 297, 352, 375; cabbage 276; cantaloup 328; carrot 153, 352, 373; celery 370; Chinese cabbage 351; clover 379; coffeeweed 264; collards 276, 327; cotton, 261, 280, 283, 293, 302, 337; cowpea 266, 279, 376; cucumber 173, 263; eggplant 264, 331; fig 335; gladiolus 283; koksaghyz 337; lima bean 330; okra 259, 276, 280, 351; parsley 234; pea 352; peach 334; peanut 259; pear 283; peony 209; pepper 327; pimiento 259; plum 353; potato 148, 332; pumpkin 159; roselle 269; rutabaga 351; (Heterodera marioni) sage 354; soybean 256; strawberry 279, 335; sweetpotato 250, 277, 281, 329, 373; tobacco 238; tomato 175, 201, 240, 250, 260, 281, 286, 296, 319, 330, 352, 374; turnip 277; watermelon 352  
 --- rostochiensis, golden nematode of potato, 147 (wrongly listed as Ditylenchus dipsaci)  
 --- schachtii, on sugar beet 349  
 Heterosporium sp., on beet 389; carrot 391; onion 388  
 --- gracile, see Didymellina iridis  
 --- variabile, 332, 376, 394  
 Hollow heart, nonpar., of potato tubers 138, 347  
 Holodiscus witches' broom virus, description etc., 439  
 Honey Dew melon: anthracnose 345  
 Hopperburn (insect), of peanut 259; potato 189, 197, 202, 221, 241, 306, 309  
 Hops: anthracnose 151; downy mildew 151, 382, 395; missing hills 395; powdery mildew 151; sooty mold 151, 395; viruses, description etc., chlorotic disease 439, infectious sterility 440, mosaic 441, nettle-head 442; virus-like disease 151; winter injury 395  
 Hormodendron sp., on corn, 181  
 Horseradish: Alternaria 161; Colletotrichum 161; downy mildew 161; mosaic (virus) 397; virus symptoms 397; white rust 161, 397  
 Hydrangea: powdery mildew 350; virescence virus, description etc. 442  
 Hydrocotyle: Puccinia 272  
 Hydrophyllaceae: hosts for aster yellows virus 420  
 Hyoscyamus mosaic virus, description etc., 443  
 Hypochnus sasakii, 282  
 Hyptis: Puccinia 272  
 Ilex: Capnodium 272; Cercospora 272; Englerulaster 272;

- (Ilex) Pestalotia 272; Phacidium 272; Phyllosticta 272; variegation virus, description etc., 445
- Illosporium malifoliorum, 243
- Impatiens: Ramularia 209
- Insect injuries: to alfalfa 298, 333, 353; bean 264, 320; clover 399; corn 181, 323; gladiolus 209; potato 167, 343; soybean 255; velvet bean 266; See also Hopperburn
- Intensity, of cereal rusts, methods for determining, 99
- Internal breakdown, (nonpar.), of sweetpotato, 219
- Ipomoea: Albugo 238; Cercospora 238; Coleosporium 238, 272; Puccinia 272
- batatas: see sweetpotato
- Iridaceae: hosts for Gladiolus mosaic virus 438; Iris mosaic virus 445
- Irenina manca, 273
- Iris: basal rot (Aphelenchoides) 337; bacterial leaf blight 216; bacterial root rot 209; Botrytis rhizome rot, 216; leaf spot 209, 216, 350, 382; mosaic (virus) 283, description of virus 445; rust 350; southern blight 337
- Isariopsis clavispora, 269
- griseola, 134, 251
- Itea: Septobasidium 272; Trybliella 273
- Jasminum variegation virus, description etc., 446
- Johnson grass: anthracnose 265; Cercospora 265; rust 265
- Jonathan spot, nonpar., of apple 341
- Juglans regia: bacterial blight 379; basal rot (Phytophthora cactorum) 379; boron injury 379; girdle or black line (graft incompatibility) 379; little leaf (zinc deficiency) 379; Marssonina 163; Microstroma 379; Rosellinia root rot 379
- Juniperus: conifer blight, undet., 337; Gymnosporangium exiguum 337
- virginiana: Gymnosporangium juniperi-virginianae 228; Phomopsis sp., 228
- Kabatiella caulivora, 204, 310
- Kale: black leaf spot (Macrosporium) 389; black ring (virus) 371; powdery mildew 371; ring spot (Mycosphaerella) 371; yellows (Fusarium) 150, 172
- Kudzu: See Pueraria
- Labiatae: hosts for aster yellows virus 420; Prunella mosaic virus 466
- Laburnum variegation virus, description etc. 447
- Lagerstroemia: chlorosis 337; powdery mildew 283, 337
- Lantana: Puccinia 273
- Late blossoming, of apple, 164
- Lathyrus odoratus: Fusarium root rot 350; powdery mildew 184, 350; Rhizoctonia root rot 184; sweetpea streak virus, description, etc., 447
- Leaf curl, undet., of prune, 404
- malformation, undet., of prune, 404
- necrosis, nonpar., of carrot 391
- roll, nonpar., of tomato, 188, 211
- --- (virus), of potato, see host
- spot, nonpar., of oats, 221
- ---, undet., of grape, 404, Nyssa 274; prune 366, 404, soybean 257
- ---, purple, undet., of sorghum 252
- Leak, nonpar., of potato 138
- Leguminosae, hosts for viruses: Atropa mosaic 417; Datura virosis 432; Laburnum variegation 447; Robinia brooming 469; sweetpea streak 447

- Leonotus: Puccinia 273  
 Leptosphaeria coniothyrium, 164,  
 169, 183, 185, 228, 282, 325,  
 381, 383  
 --- salvinii, 287  
 Leptothyrium pomi, 205, 206, 208,  
 243, 247, 253, 291, 324  
 Lespedeza, annual: dodder, 249  
 Lettuce: anthracnose 373; aster  
 yellows (virus) 132, 174, 187,  
 197, 329, 374, 392, 397; bac-  
 terial soft rot 385; big vein  
 (virus) 352, 374; boron defi-  
 ciency 374; damping-off (Pythium)  
 346; downy mildew 373, 385, 391;  
 drop (Sclerotinia) 174, 329,  
 338, 352, 373, 385, 397; gray  
 mold rot 174, 373, 385, 391, 397;  
 mosaic (virus) 174, 346, 352,  
 385; root rot (Sclerotinia) 392,  
 (undet.) 397; Septoria 132, 153;  
 spotted wilt (virus) 374, 392;  
 tinburn 346, 352; weather injury  
 385  
 ---, Romaine: aster yellows (virus)  
 146  
 Ligustrum: chlorosis (nonpar.)  
 338; Phymatotrichum root rot  
 227; powdery mildew 283; Rosel-  
 linia root rot 382; variegation  
 virus, description etc. 448  
 Liliaceae, as hosts for viruses:  
 aster yellows 420; California  
 aster yellows 423; Convallaria  
 mosaic 428; lily rosette 449;  
 Ornithogalum mosaic 457; tulip  
 breaking 477  
 Lilium: Botrytis blight 209, 382;  
 mosaic (virus) 209, 382; necrotic  
 fleck (virus complex) 450; Phy-  
 tophthora blight. 216; Rhizopus  
 bulb rot 338; rosette (yellow  
 flat) (virus) 382, description  
 of virus 449; symptomless virus,  
 description etc. 450  
 Limnathaceae: hosts for aster  
 yellows virus 420  
 Liquidambar: Conopholis 273  
 Little leaf (zinc deficiency); see  
 under deficiency diseases  
 Loasaceae: hosts for aster yellows  
 virus 420  
 Lolium: Pullularia pullulans 395  
 Lonicera variegation virus, de-  
 scription etc. 451  
 Losses, from plant diseases,  
 methods of appraising 99  
 Lupinus: Cercospora 265; Fusarium  
 wilt 278; southern blight 278  
 Lyonia: Exobasidium 273;  
 Phacidium 273; Pucciniastrum  
 273; Rhytisma 273  
 Macrophoma sp., on grapefruit  
 381; sugar beet 394  
 --- fici, 282  
 --- zeae, 181  
 Macrophomina phaseoli (see also  
 Sclerotium bataticola), on  
 bean 281, 320, 330; corn 301;  
 cotton 269; cowpea 282, 289,  
 322, 334; lima bean 320; pota-  
 to 320; soybean 256, 299, 333  
 Macrosporium sp., on beet 389;  
 cabbage 390; carrot 391; cauli-  
 flower 390; kale 389; okra  
 152; onion 388; squash (fruit  
 rot) 391  
 --- "giant type", on turnip 390  
 --- nigricantium, 336  
 --- parasiticum, see Stemphylium  
 botryosum  
 Magnolia: chlorosis (nonpar.)  
 338; Meliola 273, 283; Phyllo-  
 sticta 273  
 Malformed heads, undet. (? virus),  
 of onion 388  
 Malvaceae, hosts for viruses:  
 Abutilon variegation 412;  
 California aster yellows 423;  
 Delphinium ringspot 433  
 Manganese toxicity, to cotton,  
 283  
 Mangel: Cercospora 389; crown  
 canker 389; Fusarium 389; Phoma  
 389; Ramularia 389; rust 389  
 Marssonina juglandis, 163  
 --- populi, 383  
 Marssonina panattoniana, 373  
 Martyniaceae: hosts for aster  
 yellows virus, 420  
 Matthiola: viruses, description,  
 hosts, etc., mild mosaic 451,  
 severe mosaic 453

- Measles (undet.), of apple 164  
 Measurement of disease losses, 99  
 Mechanical tuber injury, to potato, 398  
 Medicago arabica: Colletotrichum 281  
 Melampsora sp., on Populus, 283  
 --- lini, 213, 222, 307, 310, 340  
 --- medusae, 308, 311  
 --- occidentalis, 395  
 Melia: Cercospora, 273  
 Melilotus: blight (Mycosphaerella) 203; downy mildew 203; leaf spot and stem blight (Cercospora) 203; root rot (Phytophthora) 203; tobacco streak (virus) 248  
 --- alba: black stem (Ascochyta) 307; Phymatotrichum root rot 333  
 --- --- var. annua: Phymatotrichum root rot 333  
 --- indica: anthracnose (Colletotrichum) 282; white smut (Entylooma) 282  
 Meliola sp., on Osmanthus 274  
 --- amphitricha, 274, 283  
 --- bidentata, 270  
 --- cryptocarpa, 271  
 --- magnoliae, 273  
 --- nidulans, 271  
 --- palmicola, 276  
 --- tenuis, 274  
 Melons: seed treatment, 93  
 Mentha spp.: rust 209, 351, 382; Septoria 209  
 --- piperita (peppermint): anthracnose (Sphaceloma) 183, 199; rust 199; Verticillium wilt 199; winter injury 199  
 --- spicata (spearmint): anthracnose (Sphaceloma) 183; rust 183  
 Methods of appraising intensity and destructiveness of cereal rusts with particular reference to Russian work on wheat leaf rust, Suppl. 146, pp. 99-121  
 Microsphaera alni, 209, 267, 275, 283, 337  
 --- --- var. vaccinii, 143, 151  
 --- diffusa, 265  
 Microstroma juglandis, 337, 379  
 Monilinia spp., 394, 402  
 --- fructicola, 141, 149, 156, 163, 168, 169, 181, 194, 195, 198, 199, 205, 206, 216, 226, 227, 236, 242, 244, 252, 290, 291, 301, 302, 323, 324, 334, 378, 380, 381, 394  
 --- laxa, 205, 377, 378, 380, 381; in Wis., 205  
 Monilochaetes infuscans, 60, 159, 187, 234, 277, 281, 352, 373  
 Monosporium uredinicolum, 274  
 Moraceae, as hosts for viruses: aster yellows 420; hop chlorotic disease 439; hop infectious sterility 440; hop mosaic 441; hop nettlehead 442  
 Mosaic, undet., of sweetpotato, 187, 245, 250  
 ---, virus, see under virus  
 Mucor, on corn mesocotyls, 75  
 Mulberry: Cercospora 268; pop-corn disease 283  
 Multiple bud, undet., of sugarcane 283  
 Musaceae: hosts for canna mosaic virus 426  
 Mustard: powdery mildew 351, 372, 386  
 Mycosphaerella sp., on carrot 391; pea 189  
 --- arachidicola 236, 269, 280, 292, 336  
 --- berkeleyi (Cercospora personata) 236, 269, 280, 283, 292, 325, 336  
 --- brassicicola, 276, 371, 389, 390  
 --- caryigena, 261, 267, 323  
 --- citrullina, 131, 153  
 --- fragariae, see strawberry; leaf spot  
 --- grossulariae, 150, 183, 227  
 --- lethalis, 203  
 --- linorum, 203, 210, 214, 222, 305, 307, 308, 310, 340, 376  
 --- louisianae, 283  
 --- pinodes, 201, 211, 375  
 --- pomi, 142, 156, 164, 169, 243

- (*Mycosphaerella*) *rubi*, 335, 354  
 --- *rubina*, 228, 349  
*Myriangium sabaleos*, 275  
*Myrica*: galls (undet.), 273;  
*Irenina* 273
- Nandina*: chlorosis (nonpar.) 338;  
 root gall (undet.) 338  
*Narcissus*: basal rot (*Fusarium*)  
 382; bulb rot (*Fusarium*) 351;  
*Stagonospora* leaf scorch 382;  
 viruses, description etc.,  
 mosaic 453, white streak 455  
*Nectarine*: brown rot 156; chloro-  
 sis (nonpar.) 349; frost  
 cracking of fruit 403; peach  
 mosaic (virus) 349; peach yel-  
 lows (virus) 242; powdery mil-  
 dew 402; scab 156
- Needle blight (probably nonpar.),  
 of white pine, 238, 244  
*Nematode* (undet.), causing beet  
 gall, 239  
*Nematospora coryli*, 256, 319,  
 321  
*Neofabraea malicorticis*, 142  
 --- *perennans*, 402  
*Nerium*: oleander variegation vi-  
 rus, description etc. 456;  
*Sphaeroopsis* 273  
*Nigrospora oryzae*, 225, 300, 312,  
 316  
 --- *sphaerica*, 156, 181, 193, 311  
 Nonpar. trouble, of bean, 346  
*Nummularia discreta*, 226  
 Nursery stock, source of peach  
 leaf curl, 348  
*Nyctaginaceae*: hosts for aster  
 yellows virus, 420  
*Nyssa*: leaf spot (undet.), 274
- Oats: blast (nonpar.) 221; blotch  
 167, 177, 221; covered smut 139,  
 167, 177, 190, 198, 202, 212,  
 221, 298, 306, 309, 339, 343,  
 347; crown rust 139, 148, 167,  
 177, 190, 198, 202, 210, 212,  
 221, 241, 278, 298, 306, 309,  
 317, 332, 343, 347, 376; foot  
 rot 221; *Fusarium* 212, 221;  
 halo blight 167, 202, 210, 212,  
 (Oats) (halo blight) 308, 309,  
 343; *Helminthosporium* 167, 177,  
 212, 221; leaf spot (? nonpar.)  
 221; loose smut 139, 167, 177,  
 190, 198, 202, 212, 221, 241,  
 278, 298, 306, 309, 332, 339,  
 343, 347, 361,  
 376, 399, race 8 in Minn. 210  
 Oedema (undet.), of ivy, 216  
*Oidium* sp., on oak 275; petunia  
 217; squash 391  
 --- *erysiphoides* var. *crotalariae*,  
 264
- Okra: *Cercospora* 276; *Fusarium*  
 wilt 259, 276, 351; *Macrosporium*  
 152; *Phyllosticta* 276; rootknot  
 259, 276, 280, 351
- Oleaceae, as hosts for viruses:  
*Fraxinus* variegation 437; jas-  
 mine variegation 446; *Ligustrum*  
 variegation 448
- Olive: dieback (boron deficiency)  
 379; fruit spot (*Cercospora*)  
 379, (undet.) 379; olive knot  
 379; peacock spot 379
- Onagraceae, as hosts for viruses:  
 aster yellows 420; California  
 aster yellows 423
- Onion: anthracnose see smudge;  
*Ascochyta* (on inflorescence)  
 388; aster yellows (virus) 370,  
 388; bacterial soft rot 171,  
 217, 318, 406; bacterium assoc.  
 with rot 405, 406; basal bulb  
 rot 344, 405; ? big bud (virus)  
 388; black mold (*Aspergillus*)  
 370, 406; blasting of seed  
 heads 406; *Botrytis* on stems and  
 florets 388; bulb rot (various)  
 318; charcoal rot 370; damping-  
 off 345, control 44; disease  
 dissemination 407; downy mildew  
 127, 144, 196, 280, 326, 344,  
 370, 388; fungi on stems and  
 florets 388;

- (Onion) *Fusarium* bulb rot 318, 326, 344, 356, 405; *Fusarium moniliforme*, 405, 406, 1st rept. in Idaho, 405; *Fusarium* root rot 127; gray mold rot 370; *Heterosporium* 388; leaf or tip blight (nonpar.) 326; *Macrosporium* 388; malformed heads (? aster yellows or big bud virus) 388; neck rot (*Botrytis* spp.) 199, 296, 318, 344, 368, 405, mycelial and small sclerotial, 1st repts in Idaho 405; new diseases in Idaho 405; *Penicillium* rot 405; pink root 127, 165, 171, 185, 196, 326, 344, 351; *Pseudomonas alliicola* 217, ? 406; purple blotch (*Alternaria porri*) 326, 344; scald (nonpar.) 165; scaly onions (undet.) 406; seed treatment studies 39; smudge 127, 144, 199; smut, control by seed treatment, 39; smut, occurrence, 127, 144, 165, 171, 185, 196, 199, 218, 344; soft puffy rot, bacterium and *Fusarium* assoc., 406; soft rot following scald 165; sourskin (*Botrytis allii*) 406; *Stemphylium* on inflorescence and stem 388; *Stemphylium botryosum* (leaf break) 152, (stalk rot) 280; storage 405, 406; white mold (*Sclerotium*) 326; yellow dwarf (virus) 370, 388
- Ophiobolus* sp., on barley 222  
 --- graminis, 298, 376, 377
- Ophiodothella vaccinii*, 276
- Opuntia*: *Perisporium* 274
- Ornamentals: as source of spotted wilt virus infection 374; viruses described on, 410
- Ornithogalum*: mosaic virus, description etc. 457; southern root rot 382
- Osmanthus*: *Capnodium* 274; *Meliola* 274; *Phyllosticta* 274
- Ovularia, on *Panicum*, 265
- Ovulinia azaleae*, 283, 382
- Paeonia*: see peony
- Panicum*: eye-spot 265; *Ovularia* 265
- Papaveraceae, as hosts for viruses: aster yellows 420; California aster yellows 423
- Parsley: aster yellows (virus) 375; rootknot 234; stunt (virus) 161
- Parsnip: aster yellows (virus) 201, 375; *Cercospora* 134, 146, 154; *Cylindrosporium* 201; *Ramularia* 134, 392
- Paspalum*: *Puccinia levis* 265
- Passifloraceae: viruses, description etc., *Passiflora* fruit woodiness 459, *Passiflora* variegation 459
- Pea: anthracnose 201; *Aphanomyces* root rot 189, 201, 220, 339; *Ascochyta* blights 201, 211, 281, 375, 386; *Ascochyta* leaf and pod spot 189; *Ascochyta* root rot 346; bacterial blight 201, 211, 339, 346, effect of hail storms, 339; cold injury 264; cracking (weather) 320; damping-off 189, 320; downy mildew 201, 375; *Fusarium* root rot 135, 166, 201, 220, 342, 346, 352, 375, 386; *Fusarium* wilt 201, 211, 386; mosaic (virus) 201, 375, 386; *Mycosphaerella* 189, 201, 211, 375; near-wilt (*Fusarium*) 201, 211; powdery mildew 135, 201, 281, 320, 331, 339, 342, 346, 375, 386; *Pythium* (damping-off, root rot) 220, 320, 346, 386; *Rhizoctonia* (damping-off, root rot) 220, 264, 320, 346, 386; rootknot 352; root rots 135, 166, 189, 201, 220, 264, 320, 339, 342, 346, 352, 375, 386; rust 342; scab (*Cladosporium*) 375, 386; seed decay (*Fusarium*) 166, (undet.) 189; seed treatment studies 11, 93, 94; *Sep-toria* blotch or leaf spot 201, 375; streak (virus) 201; virus disease undet. 386

- (Pea) Austrian winter: *Ascochyta* blight 278; downy mildew 278
- Peach: *Armillaria* root rot 378; arsenic poisoning, systemic, 403; bacterial spot 141, 163, 168, 181, 194, 226, 246, 252, 290, 301, 323, 334, varietal reaction 163; bark splitting 404; blackheart (*Verticillium*) 378; brown rot 141, 149, 156, 163, 168, 181, 194, 199, 226, 236, 242, 252, 290, 301, 323, 334, 378, 394; buckskin (virus) 378; calico (transmissible) 403; chlorosis (nonpar.) 334, 348, 353, 363, 378; constriction disease (*Phoma*) 163; *Coryneum* blight 348, 363, 378, 401; crown gall 348, 353; *Cytospora* canker 399; *Dematium* 399; drought injury 236; dying of trees (undet., ? borers) 252; frost injury 163, 236, 242, 246, 284, 301, 323; golden net (virus) 348; gummosis (nonpar.) 348; immature fruits 353; leaf curl 149, 168, 181, 194, 226, 301, 323; 348, 378, 399, 402, on nursery stock 348; little leaf (zinc deficiency) 378; little peach (virus) 163, 168; mosaic (virus) 348, 353, 363, 378, in almond (inoculation) 348, in nectarine 349, in symptomless carriers 363; mottle (virus) 403; nitrogen deficiency 353; *Phymatotrichum* root rot 353; powdery mildew 226, 348, 378, 402; *Rhizopus* rot 348, 402; ring spot (virus) 378; rootknot 334; rough bark (cherry virus) transmitted to peach 404; rough bark (undet.) 404; rust 378; rusty spot (undet.) 404; scab 149, 156, 163, 168, 194, 226, 290, 301, 323, 378; Sims spot (undet.) 378; spray injury 163, 246; sun scald cankers 363; *Valsa* canker 168, 199; wart (virus) 353, 403; Western X-disease (virus) 348, 355, 363, 364, 403, 404;
- (Peach) white heart rot (*Poria*) 348; winter injury 141, 163; X-disease (virus) 149; yellow bud or Winters mosaic (virus) 378; yellows (virus) 156, 168, 236, 242
- Peanut: *Alternaria* 259; bacterial wilt 259, 279; *Cercospora* 236, 257, 260, 269, 280, 283, 292, 325, 336, control with dusting 269; charcoal rot 336; *Diplodia* 269, 292, 325; drought injury 317; fungi on pods 237; *Fusarium* 325; hopperburn 259; nut rots 237, 258, 269, effect of rotation 237; peg rot 258, 259; *Penicillium* 258; *Phyllosticta* 260; *Phymatotrichum* root rot 354; *Rhizoctonia* 269, 292, 325; *Rhizopus* 258; rootknot 259; root rot 292, 325; southern blight or wilt 236, 253, 258, 260, 280, 283, 292, 336, 354; stem rot 325; *Trichoderma* 258
- Pear: *Armillaria* root rot 283; black end (graft incompatibility) 381; black rot (*Physalospora*) 324, 335; black spot, see *Fabraea*; blast (*Pseudomonas*) 381; blue mold 402; brown rot 381; *Cercospora* leaf spot 283, 335; chlorosis (iron deficiency) 366, 381; *Clitocybe* root rot 283; *Fabraea* 142, 169, 283, 324, felty fungus (*Septobasidium*) 283; fire-blight 150, 169, 195, 206, 283, 325, 335, 349, 353, 380, 402, erratic behavior in Idaho 402; phosphorus deficiency 349; rootknot 283; rust (*Gymnosporangium libocedri*) 394; scab 169, 206, 324, 341, 381, 394; sooty blotch 150; stony pit (fruit pitting; virus) 381; twig blight (*Corticium salmonicolor*) 283
- Pecan: brown spot (*Cercospora fusca*) 261, 282, 323, bunch (virus) 282;



- (Pecan) downy spot (*Mycosphaerella*) 261, 267, 323; frosty mildew (*Cercospora*) 267; mistletoe 267; nursery blight (*Elsinoë*) 267; *Pestalotia* 267; *Phymatotrichum* root rot 353; powdery mildew 267; rosette (zinc deficiency) 261, 335, 353; scab 261, 267, 282, 323, 335; vein spot (*Gnomonia*) 282, 324
- Pelargonium*: bacterial leaf spot 184, 382; gray mold 184; viruses, description etc., leaf curl 460, mosaic 461
- Pellicularia filamentosa*, *Pellicularia* stage, on potato 393
- ---, *Rhizoctonia solani* stage, 34, 47, 53; on alfalfa 353, 377; bean 154, 251, 260, 281, 330, 375, 385; beet 308; broccoli 371; cabbage 218, 371; carnation 184; coffeeweed 264; corn 282; cotton 283, 302; cowpea 282, 334, 376; gladiolus 337; grape 283; Lima bean 188, 375; pea 220, 320, 346, 386; pepper 263, 372; potato see host; radish 176; soybean 155, 224; strawberry 279, 301; sugar beet 207, 216, 228, 344, 349, 356, 381; sweetpea 184; tobacco 143, 238; tomato 277, 329, 374  
See also *Rhizoctonia* sp.
- *koleroga*, 266, 282
- Penicillium* sp(p.), on apple 324; asparagus (assoc. with root rot) 388; citrus 335; corn 156, 181, 193, 204, 300; cranberry 206; onion 405, 406; peanut 237, 258; watermelon 285
- *digitatum*, 378
- *expansum*, 402
- *gladioli*, 382
- *italicum*, 378
- Pennisetum*: *Helminthosporium ocellum* 265
- Peony: *Botrytis* blight 209, 217, 351; *Cladosporium* 209; mosaic virus, description etc., 458; *Phytophthora* blight 217;
- (Peony) powdery mildew 209; roetknot 209
- Peperomia* ring spot virus, description etc. 462
- Pepper: *Alternaria* (early blight, fruit rot, fruit spot, leaf spot) 152, 158, 285, 318, 327, 342, 345, 372; anthracnose 145, 152, 158, 280, 327; bacterial spot 129, 158, 172, 186, 200, 281, 327; bacterial wilt 233, 281; blossom-end rot (nonpar.) 129, 186, 351; *Cercospora* blight or leaf spot 158, 262, 280; 327; curly top (virus) 327, 351; dodder 327; drought injury 158; fruit rot undet., 158; fruit rots (various) 263; *Fusarium* wilt 152, 158, 186, 280, 285, 327, 351; mosaic (virus) 129, 145, 152, 158, 172, 186, 233, 263, 281, 327, 345, 351, 372, 385; cucumber virus 372, tobacco virus 145, 152, 186, 372; *Phytophthora* blight, root rot, 345, 372, 385; *Rhizoctonia* root rot 263, 372; ring spot (virus) 345; rootknot 327; *Sclerotinia* collar rot 372; southern blight 249, 280, 285, 327; spotted wilt (virus) 152, 372; sun scald, 129, 152, 159, 172, 249, 327, 351; *Verticillium* wilt 145, 285, 318, 327, 372, 385; virus diseases 158; wet soil injury 262; wilt undet. 158
- , pimiento: see Pimiento
- Peppermint: see *Mentha piperita*
- Perisporium wrightii*, 274
- Peronospora antirrhini*, 382
- destructor, 127, 144, 196, 280, 326, 344, 370, 388
- *effusa*, 139, 235, 320, 332, 376, 386, 399
- *manshurica*, see soybean, downy mildew
- *parasitica*, 128, 129, 145, 161, 218, 233, 262, 280, 327, 371, 372, 375, 384, 390

- (Peronospora) pisi, 201, 278, 375  
 --- schachtii, 371, 381, 383, 394  
 --- tabacina, 168, 237, 248, 261  
 --- trifoliorum, 203, 223, 343, 347, 353, 361, 368  
 --- viciae, 282  
 Persea humilis: Phyllosticta 274  
 Pestalotia sp., on apple 268  
 --- annulata, 272  
 --- funerea, 276  
 --- uvicola, 267  
 Petunia: mosaic (virus not specified) source for tomato infection, 240; petunia mosaic virus, description etc., 463; powdery mildew 217  
 Phacidium curtisii, 272  
 --- nigrum, 273  
 Phleum pratense: bacterial leaf spot 223; brown leaf stripe (Scolecotrichum) 203, 223; ergot 212; stem rust 203, 223; stripe smut 203, 223  
 Phlox: powdery mildew 185, 283; streak virus, description etc., 464  
 Phlyctaena linicola, see Mycosphaerella linorum  
 Phoenix canariensis: false smut (Graphiola) 338  
 --- dactylifera: false smut 338  
 Phoma sp., on sugar beet 394; wild turnip 391  
 --- betae, 128, 207, 216, 228, 349, 381, 389  
 --- destructiva, 329  
 --- lingam, 129, 145, 152, 185, 200, 210, 211, 218, 276, 277, 351  
 --- persicae, 163  
 --- terrestris, 127, 165, 171, 185, 196, 280, 326, 344, 351, 373  
 --- trifolii, 204  
 Phomopsis sp., on blueberry (gall) 151; Juniperus 228  
 --- vexans, 135, 147, 154, 161, 189, 201, 235, 264, 281, 331  
 Phoradendron flavescens, on various hosts, 267, 274, 275; parasitized by Septobasidium 274; (Phoradendron flavescens) Sphaeropsis 274; Tryblidiella 274  
 Photinia: fireblight 343; scab 383  
 Phragmidium sp., on rose 209, 351, 383  
 --- imitans, 394, 400  
 --- speciosum, 217, 275  
 Phyllachora graminis, 202  
 --- pastinacae, 201  
 Phyllactinia corylea, 271  
 Phylloidy, undet., of Bromus 221  
 Phyllosticta sp., on squash 153  
 --- antirrhini, 184  
 --- batatas, 234, 260, 263, 277, 281, 286  
 --- glauca, 273  
 --- glycineum, 235  
 --- hibiscina, 276  
 --- illicicola, 272  
 --- magnoliae, 273  
 --- micropuncta, 274  
 --- phaseolina, 260  
 --- prunicola, 238  
 --- sinuosa, 274  
 --- solitaria, 169, 182, 194, 205, 226, 243, 247, 253, 291, 301  
 --- straminella, 135, 147, 154  
 --- tabifica, 239  
 --- viticola, 261  
 Phymatotrichum omnivorum, 293, 325, 330, 331, 333, 334, 335, 336, 337, 338, 352, 353, 354, 377  
 Physalospora obtusa, 142, 150, 156, 164, 169, 182, 194, 205, 226, 236, 247, 253, 291, 302, 324, 335  
 --- rhodina, 267  
 --- zeae, 181  
 Physarum cinereum, 281  
 Physoderma zeae-maydis, 181, 279, 282, 290  
 Physopella fici, 282, 335  
 Phytolaccaceae: Phytolacca mosaic virus, description etc., 464  
 Phytomonas dissolvens, 300  
 Phytophthora sp.(p.), on almond 377; avocado 380; guayule 337;

- (Phytophthora) lilac 217; lily 216; peony 217; rhubarb 251; sugar beet 336
- cactorum, on apple 243; rhubarb 320; strawberry 226, 301, 353; sweetclover 203; walnut 379
- capsici, on cucurbits 345; pepper 345, 372, 385; tomato 346
- citrophthora, 378
- erythroseptica, 137
- fragariae, 168, 182, 194, 291, 349, 394, 400
- infestans on Solanum sarracoides 376; see also late blight under potato and tomato
- megasperma, 371, 384, 385
- parasitica, on belladonna 381; citrus 268, 378; tomato 175, 187, 200, 234, 240, 251, 297, 329, 358, 374
- --- var. nicotianae, 238, 248
- phaseoli, 146, 240
- richardiae, 383
- Picea: Chrysomyxa cassandrae 199
- Pimiento: anthracnose 259; bacterial spot 259; blossom-end rot (nonpar.) 259; Cercospora blight 259; mosaic (virus) 259; ripe rot (Vermicularia) 259; rootknot 259; southern blight 260
- Pinus: Armillaria root rot 217; brown spot (Systremma) 283; chlorotic dwarf (undet.) 238, 244; Cronartium fusiforme 274; needle blight (? nonpar.) 238, 244
- Piperaceae: hosts for Peperomia ring spot virus 462
- Piricularia sp., on Stenotaphrum, 333
- grisea, 203
- oryzae, 282, 287, 333
- Pittosporaceae: Pittosporum variegation virus, description etc., 465
- Plant disease surveys in the Northeastern United States in 1943, Suppl. 147, pp. 125-229
- (Plant disease surveys) in the Southeastern United States in 1943, Suppl. 148, pp. 233-302
- in the Western United States in 1943, Suppl. 149, pp. 305-407
- Plantaginaceae, hosts for viruses: aster yellows 420; California aster yellows 423
- Plasmidiophora brassicae, 128, 129, 145, 152, 165, 175, 200, 211, 218, 239, 390, 396
- Plasmopara viticola, 143, 151, 157, 169, 196, 206, 228, 244, 269, 292, 325, 336, 381
- Platanus: Gnomonia 383; Stigmia 383
- Pleioblastus: Meliola 274; Puccinia 274
- Pleospora herbarum, 281
- Pleurotus ulmarius, 350
- Plum (including prune); Armillaria root rot 380, 400; bacterial canker (Pseudomonas) 380; bacterial spot, bacterial blight (Xanthomonas) 169, 182, 206, 227, 302; black knot 205, 227; blue mold 402; brown rot 206, 227, 302, 380; chlorosis (iron deficiency) 366, (undet.) 404; Coryneum blight 401; crown gall 353; diamond canker (virus) 380; dieback (potassium deficiency) 380; drought spot 403; frost injury to fruit 403; heat canker of fruit 157; late foliation 403; leaf curl (undet.) 404; leaf deformity (transmissible) 403, 404; leaf malformation (undet.) 404; leaf spot (Coccomyces) 157, 182, 216; leaf spot (undet.) 404; leaf spot or mottle (undet.) 366; little leaf (zinc deficiency) 380; peach mosaic, a symptomless carrier, 363; Phymatotrichum root rot 353; pockets 206, 227, 308; Rhizopus rot 402; rootknot 353; rust 380, 394; scab 205
- wild: black knot 349;

- (Plum, wild) plum pockets 349  
 Plum-cherry hybrid: brown rot blossom blight, 216  
 Plumbaginaceae: hosts for aster yellows virus, 420  
 Plumeria: Phymatotrichum root rot 338  
 Poa pratensis: Calonectria graminicola 214; Claviceps purpurea 203; Erysiphe graminis 203, 223; Helminthosporium vagans, 203, 214; Puccinia graminis 223, poae-sudeticae 203, 214, rubigovera 203; Septoria sp. 203, macrospora 223; Typhula itoana 214; Ustilago striaeformis 203, 242  
 Pod spot, undet., of soybean, 311, 313  
 Podosphaera sp(p.), on apple, 349, 402  
 --- leucotricha, 353, 365, 379  
 --- oxyacanthae, 227, 341, 349, 351  
 Polemoniaceae, hosts for viruses: aster yellows 420; phlox streak 464  
 Polycodium: Pucciniastrum 275; Rhizisma, 275  
 Polygonaceae, hosts for viruses: aster yellows 420; California aster yellows 423; dock mosaic 473  
 Polygonum: Ustilago utriculosa 209  
 Polyporus sulphureus, 382  
 Polyspora lini, 307  
 Populus: Cytospora 308; Marssonina 383; Melampsora 283, 308, 311, 395; Taphrina 383  
 Poria sp., on peach, 348  
 Portulacaceae: hosts for aster yellows virus, 420  
 Postal regulations affecting shipment of pre-treated seed, 88, 96  
 Potato: Alternaria tuber rot 211, 305; aster yellows virus 421, 424, see also purple-top wilt; bacterial ring rot 136, 147, 154, 161, 166, 197, 201, 241, 281, 306, 309, 339, 342, 347, 352, 359, 375, 393, 398; bacterial soft rot 147, 177, 241, 278, (Potato) (bacterial soft rot) 331, 347; bacterial wilt 162, 278, 281; blackleg 136, 154, 166, 189, 197, 202, 212, 220, 297, 306, 309, 339, 342, 347, 352, 359, 393; blue stem see purple-top wilt; brown (bacterial wilt) rot 162; "bulls" 138; calico (virus) 148 (?), 347, 361, 393; California aster yellows virus 424; charcoal rot 320, 332; cracking of tubers 320, see also growth cracks; drought injury 162; dry rot 398; early blight 136, 147, 154, 161, 166, 176, 197, 202, 211, 220, 241, 278, 281, 305, 309, 331, 342, 347, 352, 375, tuber rot 211, 305; enlarged lenticels 320; frost injury 138, 202; Fusarium rot 398; Fusarium seedpiece decay 347; Fusarium wilt 136, 148, 154, 166, 197, 202, 220, 278, 297, 306, 309, 342, 347, 352, 359, 369; giant hill (undet.) 155, 347; growth cracks 138, 347; haywire (undet.) 281, 332, 343, 347; Heterodera rostochiensis, golden nematode, 147 (wrongly listed as Ditylenchus dipsaci); hollow heart 138, 347; hopperburn 189, 197, 202, 221, 241, 306, 309; insect injury 167; internal bruise of tubers 398; jelly-end rot 347; late blight 137, 155, 162, 166, 171, 177, 189, 197, 201, 210, 212, 220, 235, 241, 251, 281, 305, 306, 309, 320, 331, 347, 375, 393, 398; leafroll (virus) 137, 155, 162, 167, 177, 189, 197, 202, 212, 220, 235, 241, 281, 306, 332, 343, 347, 359, 369, 393, 398; leak 138, 241; meadow nematode 251; mosaic (virus, unspecified) 197, 212, 220, 235, 241, 281, 309, 343, 359, 369, 376; ---, severe (rugose) 138, 281, 347, 361, 398; ---, veinal (mild) 138,

- (Potato, mosaic, veinal) 202, 281, 306, 347, 361, 393, 398; mouse ear (undet.) 155; net necrosis (virus) 138, 398; *Pellicularia filamentosa*, perfect stage, 393; pink rot 137; powdery dry rot 347; powdery scab (*Spongospora*) 137; psyllid yellows 343, 352, 361; purple-top wilt or blue stem (aster yellows virus) 138, 197, 212, 241, 306; *Pythium* 241, 281; *Rhizoctonia* 136, 154, 162, 166, 177, 197, 202, 212, 220, 241, 297, 306, 309, 320, 332, 339, 343, 347, 352, 359, 369, 375, 393, control 47, 53; rootknot, 148, 332; scab 135, 154, 161, 166, 176, 189, 197, 201, 211, 220, 240, 278, 281, 297, 305, 309, 331, 339, 342, 346, 352, 359, 369, 375, 393, 398, control 47, 54; second growth of tubers 352; seed disinfectants 46; seedpiece decay 220, 347, control 50, 53; seed treatment studies 46; silver scurf (*Spondylocadium*) 202, 241, 398; southern blight 278, 281, 332, tuber rot 281, spindle sprout (undet.) 202; spindle tuber (virus) 138, 155, 177, 198, 202, 212, 220, 235, 241, 252, 281, 309, 332, 343, 347; sprain (undet.) 138, 202; stem end browning (undet.) 139; stem necrosis (nonpar.) 138; storage rots 398; sun burn, sun scald, 139, 202, 347; tipburn (nonpar.) 139, 220; tuber discoloration after cooking 202; tuber rot (undet.) 312; *Verticillium* wilt 359, 369, 376; virus diseases (see also under individual diseases) 167, 177, 220, 355, 393, 398, virus disease problem 368; weather injury 320; wet rots 398; wet weather injury 297; wilts 368, as pathological problem 355; yellow dwarf (virus) 155, 198, 202, 235
- Potentilla*: *Ramularia arvensis* 209  
Pox, of tomato fruit, 330  
*Pratylenchus pratensis* (meadow nematode), on corn 334; fig 379; potato 251  
*Primula*: bacterial leaf spot 383; mosaic virus, description etc., 466  
Primulaceae, hosts for viruses: aster yellows 420; *Primula* mosaic 466  
Privet: see *Ligustrum*  
*Prunella* mosaic virus, description etc., 466  
*Prunus*: *Taphrina* sp. 311  
--- *caroliniana*: gum exudation 275  
--- *cerasifera*: *Coryneum* blight 401  
--- *serotina*: *Phyllosticta* 238; *Tranzschelia* 238  
--- *virginiana*: black knot 144; powdery mildew 351  
*Pseudomonas* spp., on bean, 211  
--- *allii*cola, 217, ? 406  
--- *andropogoni* 204, 282, 310, 314, 322, 333  
--- *angulata* 168, 207, 247  
--- *coronafaciens*, 167, 202, 210, 212, 308, 309, 343  
--- --- var. *atropurpurea*, 212, 221, 309  
--- *delphinii*, 208, 216  
--- *erodii*, 184  
--- *glycinea*, 149, 155, 162, 203, 223, 255, 278, 282, 288, 321, 333  
--- *holci*, 214, 224, 288, 299, 310, 322, 353  
--- *lachrymans*, 130, 131, 153, 166, 200, 391  
--- *maculicola*, 128, 259, 371  
--- *marginata*, 184, 208, 283, 350, 382  
--- *medicaginis*, 178  
--- *medicaginis* var. *phaseolicola*, 134, 147, 154, 189, 201, 240, 265, 281, 339, 342, 346, 358  
--- *osis*, 201, 211, 339  
--- *primulae*, 383

- (*Pseudomonas*) *primulae*, 383  
 --- *solanacearum*, 160, 162, 165, 175, 233, 238, 259, 261, 264, 277, 278, 279, 281, 329  
 --- *syringae* (see also *P. holci*), 146, 154, 204, 224, 261, 279, 289, 322, 377, 380, 381  
 --- *tabaci*, 168, 207, 247, 254  
 --- *tomato*, 329  
 --- *trifoliorum*, see *P. syringae*  
*Pseudoperonospora cubensis*, 130, 131, 132, 159, 200, 234, 263, 281, 285, 318, 328, 372  
 --- *humuli*, 151, 382, 395  
*Pseudopeziza medicaginis*, see alfalfa, leaf spot  
 --- *ribis*, 150, 206, 402  
 --- *trifolii*, 140, 149, 155, 224  
*Pseudoplea briosiana*, 203  
 --- *trifolii*, 148, 282  
*Psidium guajava*: anthracnose  
 ripe rot 268  
*Psyllid* yellows, of potato 343, 352, 361; tomato 352, 374  
*Ptelea* variegation virus, description etc. 467  
*Puccinia anomala*, see barley, leaf rust  
 --- *antirrhini*, 184, 208, 350, 382  
 --- *asparagi*, 128, 144, 152, 157, 165, 199, 218, 345, 370, parasitized by *Darluca filum*, 157  
 --- *convolvuli*, 208  
 --- *coronata*, 139, 148, 167, 177, 190, 198, 202, 210, 212, 221, 241, 278, 298, 306, 308, 309, 317, 332, 343, 347, 376  
 --- *crassipes*, 272  
 --- *dispersa*, see *P. rubigo-vera* var. *secalis*  
 --- *emiliae*, 271  
 --- *glumarum*, 103, 117  
 --- *graminis*, losses in Russia 117; occurrence on barberry 350; on barley 140, 148, 167, 177, 190, 198, 203, 210, 222, 242, 298, 306, 310, 340, 343, 347; on grasses 202, 221, 223, 309  
 --- --- var. *avenae*, 139, 148, 167, 190, 202, 210, 212, 221, 241, 298, 306, 309, 332, 339, (Puccinia graminis) (var. *avenae*) 343, 347, 361, 376, 399  
 --- --- var. *phlei-pratensis*, 203, 223  
 --- --- var. *secalis*, 167, 203, 214, 223, 310, 343, 347  
 --- --- var. *tritici*, 167, 180, 189, 192, 204, 210, 215, 224, 235, 242, 299, 307, 311, 322, 334, 340, 348, 350, 362, 369, 377  
 --- *grossulariae*, 206, 227  
 --- *helianthi*, 143, 207, 209, 228  
 --- *hieracii*, 372  
 --- *hydrocotyles*, 272  
 --- *hyptidis*, 272, parasitized by *Darluca filum* 272  
 --- *hyptidis-mutabilis* 272  
 --- *iridis*, 350  
 --- *lantanae*, 273  
 --- *leonotodis*, 1st record in U.S., 273  
 --- *levis*, 265  
 --- *malvacearum*, 208, 350  
 --- *melanocephala*, 274, parasitized by *Monosporium uredinicum*, 274  
 --- *menthae*, 183, 199, 209, 351, 382  
 --- *peridermiospora*, 143, 308, 311  
 --- *phragmites*, 375  
 --- *poae-sudeticae*, 203, 214  
 --- *purpurea*, 204, 242, 265, 282  
 --- *rubigo-vera*, 202, 203, 309  
 --- --- var. *secalis*, see rye, leaf rust  
 --- --- var. *tritici*, on barley 225; on wheat, see host, leaf rust  
 --- *shedonnardi*, on cotton, see *P. stakmanii*  
 --- *sorghii*, 181, 193, 204, 225, 246, 252, 266, 282, 290, 301, 311, 313, 316, 348, 377  
 --- *stakmanii*, 336, 354  
 --- *triticina*, see *P. rubigo-vera* *tritici*  
 --- *xanthii*, 276  
*Pucciniastrum agrimoniae*, 208

- (Pucciniastrum) goeppertianum, 143  
 --- myrtilli, 143, 273, 275  
 --- pustulatum, 208  
 Pucker leaf, undet., of sweet cherry, 404  
 Pueraria thunbergiana: bacterial leaf spot (halo blight) 265  
 Pullularia pullulans, 395  
 Pumpkin: Choanephora, on roots of wilt-affected plants 159; downy mildew, 132, 159; Fusarium wilt 159; mosaic (virus) 352; powdery mildew 132, 145, 352; rootknot 159  
 Pyracantha: chlorosis 338  
 Pyrenopeziza medicaginis, 162, 190, 203, 223, 298, 333, 340, 362  
 Pyrenophora (Helminthosporium) avenae, 167, 177, 212, 221  
 Pythium sp(p.), 37, 60; on barley 222, 298; bean 281, 330, 375; beet 199; Bromus 221; cabbage 218; cantaloup 219; corn 73, 75, 225, 290, 348; cucumber (cottony leak) 281; flax 222; lima bean (cottony leak) 320; oats 221, 298; pea 220, 320, 346, 386; potato (leak, tuber rot) 241, 281; rye 299; sorghum 348; soybean 214, 224; sugar beet 207, 228, 344, 349; sweet-potato (mottle necrosis) 373; tomato 374; watermelon 173, 186, 218; wheat 225, 299  
 --- acanthicum, 218  
 --- aphanidermatum, 308  
 --- arrhenomanes, 156 (?), 193, 288, 321, 333  
 --- butleri, 349  
 --- debaryanum, 34, 73, 148, 345, 346  
 --- ultimum, 11, 34, 174, 187, 219, 308  
 Quamoclit vulgaris: Coleosporium ipomoea 275  
 Quercus spp.: blister leaf (Taphrina) 338; twig blight (Coryneum, Diplodia) 338; mistle-toe 275; powdery mildew 275; squaw root (Conopholis americana) 275; tar spot (Trabutia) 275; (Quercus spp.) undet. trouble 244; wood-rotting fungi 275  
 Radish: black root (Aphanomyces) 176; boron deficiency 375; downy mildew 375; stem rot (Rhizoctonia) 176; white rust 375  
 Ramularia sp., on borage 382  
 --- areola, 276  
 --- arvensis, 209  
 --- betae, 389, 395  
 --- celastri, 208  
 --- coleosporii, 271  
 --- cynarae, 373, 385  
 --- impatientis, 209  
 --- pastinacae, 134, 392  
 --- taraxaci, 209  
 Ranunculaceae, hosts for viruses: aster yellows 420; California aster yellows 423; delphinium ring spot 433; peony mosaic 458  
 Raspberry: anthracnose 142, 150, 157, 164, 169, 183, 195, 206, 216, 227, 244; chlorosis (iron deficiency) 366; crown gall 150, 157, 169, 195, 206, 227; Didymella 150, 157, 164, 206; Lep-tosphaeria 164, 169, 183, 228, 325; mosaic (virus) 143, 157, 206, 216, 228, 244, 308, 349, 366, 400, 403; Mycosphaerella 228, 349; orange rust (Gymnoconia) 151, 206, 227; powdery mildew 151; Septoria 151, 157, 228; Sphaerulina 183, 195, 216; Verticillium wilt, 151, 164; virus diseases 169, 195; winter injury 183, 228, 349; yellow late rust (Phragmidium) 394, 400  
 Resedaceae, hosts for viruses: aster yellows 420; Matthiola mosaic virus, mild 451, severe 453  
 Red spider injury, 251, 319, 320  
 Rhamnaceae: hosts for Rhamnus variegation virus 468  
 Rhamnus: crown rust 308; variegation virus, description etc., 468

- Rhizoctonia* sp.(p.), (see also *Pellicularia filamentosa*, R. *solani* stage), 60; on bean (root rot) 134, 392, 397; (stem canker) 201; beet 199; cabbage 262, 371; corn 75; cowpea 266; flax 213; pea 264; peanut 325; *Stenotaphrum* (brown patch) 333; strawberry 215, 226; tomato (soil rot of fruit) 392
- *crocorum*, 298
- *microsclerotia*, 281, 282
- *oryzae*, 282
- *solani*, see *Pellicularia filamentosa*, R. *solani* stage
- Rhizopus* sp., on *Lilium* 338; peanut 237, 258; squash 132; sweetpotato 329; watermelon 285
- *nigricans*, on apple 402; carrot 153; cherry 402; corn 193; peach 348, 402; prune 402; squash 145, 153; strawberry 279, 353, 402; sweetpotato 160, 174, 187, 219, 234, 281, 352; tomato 374
- Rhododendron* (including *Azalea*): bud blight (*Sporocybe*) 395; flower blight (*Botrytis*) 382, (*Ovulinia*) 283, 382; hypertrophy (*Exobasidium azaleae*) 283; leaf curl (*E. vaccinii*) 382; leaf spot (*Septoria*) 382
- Rhubarb: crown rot (*Phytophthora*) 251, 320; leaf spot (*Phyllosticta*) 135, 147, 154; mosaic (virus) 375; rust 375
- Rhus*: *Cercospora* 275; gall, undet., 273
- Rhynchosporium secalis*, 203, 213, 376
- Rhytisma acerinum*, 270, 382
- *andromedae-ligustrinae*, 273
- *punctatum*, 382
- *vaccinii*, 275
- Ribes* spp.: *Cronartium ribicola* 206. See also currant, gooseberry
- Rice: banded sclerotial disease (*Hypochnus*) 282; blast (*Piricularia*) 282, 287, 333; brown spot (*Helminthosporium oryzae*) 282, 287, 333; *Cercospora* 282, 287, 333; (Rice) eye-spot (*Helminthosporium* - like) 265; leaf smut (*Erytroma*) 282, 287, 333; sheath spot (*Rhizoctonia*) 282; stem rot (*Leptosphaeria*) 282, 287; straight-head (nonpar.) 287, 333; sun scald 288; white tip (undet.) 282, 287
- Ricinus communis*: gray mold 269; leaf spot (*Alternaria*) 337; root rot (*Phymatotrichum*) 337
- Ring spot, undet., of sweet cherry, 404
- Robinia brooming virus, description etc., 468
- Root branching, nonpar., of carrot 132
- Root rot complex, root rot(s) undet., of apple 363; asparagus 388; broccoli 334; carrot 335; corn 313, 316; lettuce 397; strawberry 141, 168; sugar beet 198, 356; wheat 180
- Rosa* spp., cultivated rose: black spot 185, 209, 228, 338, 351, 383; chlorosis (nonpar.) 333; crown gall 209, 228, 351, 383; *Leptosphaeria* (cane blight, stem canker) 185, 383; powdery mildew 185, 209, 228, 283, 338, 351, 383; root rot (*Phymatotrichum*) 338; rust 209, 217, 351, 383; stem canker (undet.) 338; viruses, description etc., mosaic 470, streak 471, wilt 472
- *palustris*: *Phragmidium* 275
- Rosaceae, hosts for viruses: aster yellows 420; flowering cherry rough bark 467; *Holodiscus* witches' broom 439; rose mosaic 470; rose streak 472; rose wilt 472; *Sorbus* variegation 475
- Roselle: rootknot 269; southern blight 337
- Rosellinia necatrix*, 379, 382
- Rosette, of apple (nonpar.) 403; pecan (zinc deficiency) 261, 335, 353; tomato (undet.) 330
- Rot, undet. soft, of cabbage 259; carrot 397; onion 406
- Rough bark, undet., of peach 404



- (Rough bark) canker, undet., of apple 404
- Rubiaceae: hosts for Cephalanthus mosaic virus, 427
- Rubus (see also blackberry etc.):  
Irenina 275; Septoria 209
- Ruffle leaf (? genetic), of tobacco, 238
- Russet, of apple fruit 142, 216;  
of bean pods 397
- Russian work on wheat leaf rust, review, 99
- Rusty spot (undet.), of peach 404
- Rutabaga: *Alternaria* leaf spot and dry rot 210; black rot 128, 199, 210; blackleg 210; boron deficiency 199, 233; *Cercospora* (white) leaf spot 128; *Fusarium* dry rot 210; powdery mildew 351, 389; rootknot 351
- Rutaceae: hosts for *Ptelea* variegation virus 467
- Rye: anthracnose 203; bacterial blight 223, 310, 353; ergot 167, 178, 203, 214, 223, 242, 299, 307, 310, 340, 347; leaf rust 167, 178, 190, 203, 214, 223, 299, 307, 310; loose smut (*Ustilago*) 190, 223, 299; root necrosis (*Pythium*) 299; scab 167, 203; stem rust 167, 203, 214, 223, 310, 343, 347; stem smut (*Urocystis*) 167, 190, 203
- Sebal: *Ganoderma zonatum* 275;  
*Myriangium sabaleos* on *S. etonia*, new host, 275
- Safflower: see *Carthamus tinctorius*
- Sage: see *Salvia*
- Salsify: aster yellows (virus) 202, 376; white rust 343, 347, 376
- Salvia officinalis*: rootknot 354
- Saxifragaceae: hosts for *Hydrangea virescens* virus, 442
- Scab undet., of horse bean 376
- Scald, nonpar., of onion 165
- Scaly onion, undet., 406
- Schinus: *Armillaria* root rot 383; heart rot (*Fomes*) 383; *Phymatotrichum* root rot 338
- Schizophyllum commune*, 349
- Sclerotinia* sp., on lettuce 392, 397; zinnia 395
- Sclerotinia americana*, see *Monilinia fructicola*
- *camelliae*, 382
- *carunculoides*, 283
- *gladioli*, 337
- *homöeocarpa*, 139
- *sclerotiorum*, on almond 377; apricot 380; bean 277, 342; broccoli 371; brussels sprouts 372; cabbage 280, 327, 351, 371, 390; celery 345, 370, 383; Chinese cabbage 351; citrus 378; endive 351, 372, 385; lettuce 174, 329, 338, 352, 372, 373, 385; strawberry 226; sunflower 395, 399; tomato 297
- Sclerotium* sp., on onion (white mold) 326
- *bataticola* (see also *Macrophomina phaseoli*) on bean 281, 286; citron 328; corn 193, 290, 312, 314, 316, 323, 348; cowpea 376; *crotalaria* 333; mung bean 319; onion 370; peanut 336; potato 332; sorghum 289, 312, 314, 321, 333; soybean 178, 282, 288, 312, 314, 321; sugar beet 381; sweetpotato 174, 187, 281, 329, 373
- *cepivorum*, 280
- *rolfsii*, on bean 277, 281, 331; beet 326, 389; cabbage 277; cantaloup 328; carrot 328, 373, 391; clover 279; cowpea 279, 282, 334; *Dichondra* 382; eggplant 281, 287, 331; hemp 253; iris 337; lima bean 281; lupine 278; *Ornithogalum* 382; peanut 236, 253, 258, 260, 280, 283, 292, 336, 354; pepper 249, 280, 285, 327; pimiento 260; potato 278, 281, 332; roselle 337; soybean 256, 278, 282; sugar beet 381; sugarcane 283; sweetpotato 60, 281, 352; tobacco 238; tomato 234, 260, 277, 281, 329
- Scolecotrichum graminis*, 202, 203

- (Scolecotrichum graminis) 223  
 Scrophulariaceae: hosts for aster yellows virus 420  
 Second growth, of potato tubers, 352  
 Seed certification: for tomato bacterial canker, 175  
 --- crop diseases, 356  
 --- --- problems, 387  
 --- decay, of pea, 189  
 Seed treatment: commercial practice 93; effectiveness 94; pretreatment of packeted seed 80, 92, regulations affecting 88, 96; stimulatory effect of Spergon 53; uniform treatment recommendations 87  
 --- --- studies: 1-97; fungicides tested 5, 46, 63  
 Seedling disease complex, of sugar beet, 168  
 Selenophoma bromigena, 203, 212, 309  
 Septobasidium mariana, 283  
 --- pseudopedicellatum, 274  
 --- sinuosum, 272  
 --- sydowii, 337  
 Septoria sp.(p.) on cane fruits 402; celery 172, 396; citrus 378; lettuce 153; Poa pratensis 203  
 --- ampelina, 268  
 --- apii, 127, 144, 152, 157, 165, 199, 218, 345, 351, 370, 383, 388  
 --- apii-graveolentis, 196, 388  
 --- atropurpurea, 208  
 --- azaleae, 382  
 --- bataticola, 281  
 --- bromi, 203  
 --- chrysanthemella, 184  
 --- cucurbitacearum, 130, 132  
 --- gladioli, 203  
 --- glycines, 224, 256  
 --- lactucae, 132  
 --- linicola, see Mycosphaerella linorum  
 --- lycopersici, see tomato, Septoria blight  
 --- macropoda, 223  
 --- menthicola, 209  
 (Septoria) nodorum, 140, 167, 180  
 --- pisi, 201, 375  
 --- rubi, 150, 151, 157, 209, 228, 292, 381, 394  
 --- tritici, 180, 215, 225, 279, 300, 311, 334, 348  
 Serenoa: Meliola 276  
 Sesame: bacterial foliage and stem blight, 333  
 Setaria: Piricularia grisea 203; Ustilago neglecta 203  
 Shallot: pink root 280; stunting and yellowing (probably virus) 280; white rot 280  
 Shoulder blotch (nonpar.), of tomato fruit, 330  
 Sida: Ramularia 276  
 Sims spot (undet.), of peach, 378  
 Sitona hispidula, 298  
 Smilax: Capnodium 276; Cercospora 276; Pestalotia 276  
 Soil conditions (see also deficiency diseases): injury to carrot 391  
 --- ---, acidity injury to cotton 283  
 --- ---, boron injury to walnut 379  
 --- ---, manganese toxicity, to cotton 283  
 Soil treatment, for onion damping-off control, 44  
 Solanaceae, as hosts to viruses: Anthurium mosaic 417; aster yellows 421; Atropa mosaic 417; California aster yellows 424; cineraria streak 475; Datura mosaic 431; Datura quercina 431; Datura virosis 432; Delphinium ring spot 433; Hyoscyamus mosaic 443; Matthiola severe mosaic 453; peony mosaic 458; Petunia mosaic 463  
 Solanum sarachoides: Phytophthora infestans 376  
 Sonchus arvensis: aster yellows (virus) 144  
 Sorbus variegation virus, description etc., 475

- Sorghum: anthracnose (graminicolium) 282, 321, (lineola) 252, 265, 278; Ascochyta leaf spot 265, 278, 282; bacterial spot 224, 288, 322; bacterial streak 288, 312, 314, 322, 353; bacterial stripe 282, 310, 314, 322, 333; Cercospora 246, 265, 282; charcoal rot (dry root rot) 289, 312, 314, 321, 333; Fusarium head mold 266; Fusarium seedling infection 321, 348; head molds 266; Helminthosporium blight 235, 278, 321, 333; kernel smut, covered (sorgho) 204, 224, 288, 310, 312, 314, 321, 333, 348, 362, hybrid (?) 322, loose (cruenta) 224, 321; milo disease (see also Pythium arrhenomanes) 288, 314, 321; purple leaf spot (undet.) 252; Pythium 333, 348; Pythium arrhenomanes (see also milo disease) 288, 321, 333; root rot (Pythium) 333; rust 242, 266, 282; seedling blight 321, 348; sooty stripe (Titaeospora) 282; stem infection (Fusarium) 321; weak neck (genetic) 312, 314; zonate spot (Gloeocercospora) 265, 282
- Sorosporium reilianum, 395  
--- syntherismae, 203
- Sour clover: see Melilotus indica
- Soybean: Alternaria 148, 155, 235, 257; anthracnose 168, 178, 191, 198, 223, 256, 265, 288, 312, 314, 321; ashy stem blight 333, see also charcoal rot; bacterial blight 149, 155, 162, 203, 223, 255, 278, 282, 288, 299, 321, 333; bacterial pustule (pustular spot) 162, 168, 171, 178, 191, 198, 203, 214, 224, 235, 242, 254, 265, 282, 288, 299, 310, 311, 313, 321, 333, 353, var. reaction 255; bacterial wildfire 191; brown spot (Septoria) 224, 256; bud blight, see top necrosis; charcoal rot (dry root rot) 178, 256, 282, 288, 299, 312, 314, 321; see also ashy stem blight;
- (Soybean) damping-off 214, 224; Diaporthe pod and stem blight 168, 178, 191, 198, 223, 256, 278, 282, 288, 299, 313, 320; downy mildew 149, 155, 168, 171, 178, 191, 198, 203, 223, 256, 278, 288, 299; drought injury 162, 254, 255; frog-eye leaf spot (Cercospora soja) 149, 162, 168, 178, 191, 198, 235, 255, 265, 278, 282, 288, 320; frost injury 198, 224; Fusarium sp. on roots 155; Fusarium wilt 178, 256, 288, 321; Helminthosporium assoc. leaf spot 257; leafhopper injury 255; leaf spot (undet.) 257; mosaic (virus) 140, 149 (pea virus 1), 168, 179, 191, 204 (dwarfing and mottling types), 214, 224, 255, 278, 282, 288, 312, 314, 321; Phyllosticta glycineum 235; Phymatotrichum root rot 333; pod and stem spot (undet.) 311, 313; purple spot of seed (Cercosporina) 178; Pythium 214, 224; Rhizoctonia 155, 224; root knot 256; root necrosis 224; seed decay 214; seed failure 265; seed treatment studies 22, 76; seedling blight 214; southern blight or wilt 256, 278, 282, effect of borer injury 256; Sphaceloma sp., 155; stem spot (undet.) 257, 311, 313; top necrosis or bud blight (tobacco ring spot; virus) 168, 179, 191, 224, 299; undetermined diseases 257; virus diseases 168, 198; white stem spot (undet.) 257; wildfire (bacterial) 191; yeast spot 256, 321
- Spearmint: see Mentha spicata
- Sphaceloma sp., on soybean 155  
--- ampelinum, 336  
--- fawcettii, see Elsinöe  
--- menthae, 183, 199  
--- symphoricarpi, 209
- Sphacelotheca sp., ? hybrid, on sorghum, 322

- (*Sphaecelotheca*) *cruenta*, 224, 321  
 --- *sorghii*, 204, 224, 288, 310, 312, 314, 321, 333, 348, 362  
*Sphaerella linorum*, see *Mycosphaerella*  
*Sphaeronema*-like fungus, on *Vitis*, 268  
*Sphaeropsis* sp., on *Nerium*, 273  
 --- *visci*, 274  
*Sphaerotheca humuli*, 151, 185, 228, 379  
 --- --- var. *fuliginea*, 209  
 --- *mors-uvae*, 150, 206, 216, 227, 402  
 --- *pannosa*, 209, 228, 283, 338, 351, 383  
 --- --- var. *persicae* 226, 348, 378, 402  
*Sphaerulina rubi*, 151, 157, 183, 195, 216  
 Spinach: *Alternaria* leaf spot 320; anthracnose 332; aster yellows (virus) 332; chlorosis (nonpar.) 332; curly top (virus) 332; damping-off 148; downy mildew 139, 235, 284, 320, 332, 376, 386, 399; frost injury 284; *Fusarium* root rot 352; *Fusarium* wilt 332; *Heterosporium* leaf spot 332, 376, 394; mosaic (virus) 332, 376, 386; seed treatment studies 26, 93, 94; spotted wilt (virus) 376; white rust 332  
 Spindle sprout (undet.) of potato 202  
*Spiraea*: chlorosis (nonpar.) 338  
*Spondylocidium atrovirens*, 202, 241, 398  
*Spongospora subterranea*, 137  
*Sporocybe azaleae*, 395  
 Sprain (undet.), of potato, 138, 202  
 Spray injury, various, to apple 164, 247; fruit trees 403; peach 163, 246  
 Squash (all types): *Alternaria* (fruit rot, leaf blight) 131; angular leaf spot (bacterial) 131; anthracnose 131, 153; aster yellows (virus) 132; (Squash) (all types) bacterial wilt 131, 159; *Choanephora* blossom blight and fruit (brown) rot 131, 159, 186, 263; curly top (virus) 352; downy mildew 131, 234, 263, 328, 372; frost injury 263; fruit rots 391; *Fusarium* fruit rot 391; *Fusarium* foot rot, root rot, wilt, 131, 159, 345, 352; *Macrosporium* fruit rot 391; mosaic (virus) 132, 145, 153, 263, 328, 345, 352, 372, 385, (aphid-transmitted virus) 372, (beetle-transmitted virus) 372, (cucumber virus) 153, 263; *Mycosphaerella* 131 (leaf spot), 153 (fruit spot); *Phyllosticta* 153; powdery mildew 131, 145, 234, 328, 352, 372, 385, 391, control with sulfur dust 385; *Rhizopus* rot 132, 145, 153; scab 131; *Septoria* 132; sun scald 132  
*Stagonospora* sp., on *Bromus* 221; clover 224, 279  
 --- *curtisii*, 382  
 --- *melliloti*, 148, 377  
 Stem canker (undet.), of rose 338  
 --- end browning (undet.), of potato tubers, 139  
 Stem necrosis (nonpar.), of potato 138  
 --- rot (undet.), of buckwheat, 162  
 --- soot (undet.) of soybean 257, 311, 313  
*Stemphylium* sp., on beet, 389; carrot 391; onion 388  
 --- *botryosum*, 152, 280  
 --- *radicinum*, 396  
 --- *sarcinaeforme*, 148, 149; 155, 204  
 --- *solani*, 160, 330  
*Stenotaphrum*: *Piricularia* 333; *Rhizoctonia* (brown patch) 333  
*Stigmata platani*, 383  
 Stimulatory effect, of *Spergon* seed treatment, 53  
*Stizolobium deeringianum*: *Cercospora* 266; potash deficiency 266; velvet bean caterpillar 266

- Stone fruits (see also individual hosts): bacterial spot 335; crown gall 335; virus diseases 355
- Straighthead (nonpar.), of rice, 287, 333
- Strawberry: angular spot (*Dendrophoma*) 215, 279, 291, 324; black root complex (see also root rot) 205, 349; crown rot (*Rhizoctonia*) 279, (*Sclerotinia*) 226; drought injury 290; dwarf (*Aphelenchoides*) 283; dwarf, summer, 335; frost injury 226, 284; fruit rots (various) 301, 353; gray mold (*Botrytis*) rot 226, 279, 283, 301, 402; hard brown rot (*Rhizoctonia*) 226, 279, 301; iron deficiency 353; leaf scorch (*Diplocarpon*) 205, 283, 335, 402; leaf spot, common (*Mycosphaerella fragariae*) 141, 168, 182, 194, 205, 226, 279, 283, 291, 301, 308, 324, 335, 349, 353, 363, 379, 402; leaf spot, purple (*M. louisianae*) 283; leaf spots, various, 341; leak (*Rhizopus* rot) 279, 353, 402; leather (*Phytophthora*) rot 226, 301, 353; mosaic (? virus, not June yellows) 226; powdery mildew 279, 379; red stele 168, 182, 194, 291, 349, 394, 400, infection of resistant vars., 194; root knot 279, 335; root rots (see also black root) 141, 168, 215; stem nematode (*Ditylenchus dipsaci*) 279; *Verticillium* wilt 379; winter injury 215; xanthosis see yellow-edge; yellow-edge or xanthosis (virus) 349, 379, 394, 400; yellows (Hereditary variegation; genetic) 341
- Studies on vegetable seed treatments in 1943, Suppl. 145, pp. 1-97
- Stylar-end rot, of citrus (lime), 267
- Sudan grass: anthracnose 204; bacterial spot 204, 214, 310, 353; (Sudan grass) *Helminthosporium* blight 162, 179, 204; kernel smut, covered, 204; rust 204
- Sugarcane: chlorotic streak (virus) 283; eye-spot 270; mosaic (virus) 261, 270, 280, 283, 337; multiple bud (undet.) 283; pokkah-boeng 283; red rot 261, 280, 283; root rot (*Pythium*) 283; sheath rot (*Cytophora*, *Sclerotium rolfsii*) 283
- Sunflower: boron deficiency 399; powdery mildew 143, 207, 228; rust 143, 207, 228; *Sclerotinia* stem rot 395, 399
- Sun scald, sun burn, non par., of cucumber 131; pepper 129, 152, 159, 172, 249, 327, 351; potato 139, 202, 347; rice 288; squash 132; tomato 153, 219, 245, 251, 286, 297, 309, 346
- --- canker, of peach, 363
- Survey methodology, 99
- Sweetclover: see *Melilotus*
- Sweetpotato: black rot 159, 174, 187, 219, 245, 250, 260, 281, 285, 319, 329, 352, 373; charcoal rot 174, 187, 281, 329, 373; drought injury 160, 317, 319; dry rot (*Diaporthe*) 174, 277; *Fusarium* stem rot or wilt (blue stem) 159, 174, 187, 219, 234, 245, 250, 260, 277, 281, 286, 319, 329, 373; *Fusarium* surface rot 174, 187, 219, 329; internal breakdown (nonpar.) 219; Java black rot (*Diplodia*) 277, 281, 318; mosaic (undet.) 187, 245, 250; mottled necrosis (*Pythium*) 174, 219, 373; *Phoma terrestris* 373; *Phyllosticta* 234, 260, 263, 277, 281, 286; *Phymatotrichum* root rot 352; pox or soil rot (*Actinomyces*) 159, 173, 187, 234, 281, 329; *Rhizopus* rot 160, 174, 187, 234, 281, 329, 352; ring rot (*Pythium*) 174, 187; root cracking, 160; root knot 250, 277, 281, 329, 373, increase in Tenn. 250;

- (Sweetpotato) scurf 159, 187, 234, 277, 281, 352, 373; seed treatment studies 60; *Septoria* 281; soil rot, see pox; southern blight 281, 352; storage diseases 174; white rust 263
- Symphoricarpos*: anthracnose 209; scab 209
- Syringa vulgaris*: *Phytophthora* blight 217; powdery mildew 209
- Systemma acicola*, 283
- Tabebuia witches'-broom virus*, description, etc., 476
- Tagetes*: aster yellows (virus) 209
- Taphrina* sp., on *Prunus besseyi*, 311
- *aurea*, 333
- *caerulescens*, 338
- *communis*, 308
- *deformans*, 149, 168, 181, 194, 226, 301, 323, 348, 378, 399, 402
- *pruni*, 206, 227, 349
- Taraxacum kok-saghyz*: rootknot 337
- *officinale*: *Ramularia* 209; *Sphaerotheca* 209
- Ternstroemiaceae*: hosts for *Camellia* yellow spot virus, 426
- Thielavia*, on peanut pods, 237
- Thielaviopsis basicola*, 168, 207, 238, 277, 375
- Thuja*: chlorosis (nonpar.) 338
- Thymelaeaceae*: hosts for *Daphne* mosaic virus, 430
- Tilia*: squaw root 276
- Tilletia* spp., on wheat, 204, 322, 377
- *caries*, 215, 225, 300, 307, 340, 343, 348, 362, 369
- --- special race, short bunt of wheat, 362
- *foetida*, 167, 180, 192, 215, 225, 300, 307, 311, 340, 343, 348, 362, 369
- *levis*, see *T. foetida*
- *tritici*, see *T. caries*
- Tipburn* (nonpar.), of lettuce 346, 352; potato 139, 221
- Titaeospora andropogonis*, 282
- Tobacco*: angular leaf spot or blackfire 163, 207, 247; bacterial black stalk 249; bacterial spots, control, 247; bacterial (*Granville*) wilt 165, 238, 261; black root rot 168, 207, 238; black shank 238, 248; brown root rot (undet.) 207, 238; downy mildew 168, 237, 248, 261; drought injury 165; frenching 207; frog-eye 254; *Fusarium* wilt 249; heat injury 248; mosaic (virus) 143, 165, 207, 238, 248, 254; phosphorus deficiency leaf spot 249; potash hunger 207, 249; ring spot (virus) 165, 238, 254; rootknot 238; ruffle leaf (prob. genetic) 238; sore shin (*Rhizoctonia*) 143, 238; southern blight 238; squaw root 254; streak (virus) 207, 248, carry-over in sweet-clover 248; wildfire 168, 207, 247, 254
- Tomato*: anthracnose 133, 146, 153, 166, 175, 187, 197, 200, 211, 245, 277, 296; aster yellows (virus) 176, 187; bacterial canker 133, 160, 166, 175, 187, 197, 277, 281, 296, 319, 329, 339, 346, 355, 357, 374, distribution with plants 166; bacterial soft rot 245, 250, 357; bacterial speck 329; bacterial spot 153, 175, 219, 277, 296, 309; bacterial wilt 160, 175, 277, 281, 329; big bud (virus) 374; blossom-end rot (nonpar.) 134, 161, 166, 197, 200, 219, 234, 240, 260, 277, 281, 286, 297, 305, 319, 330, 342, 346, 352, 357, 392; buckeye rot 175, 187, 200, 234, 240, 251, 297, 329, 358, 374; catface (nonpar.) 211; chlorosis (nonpar.) 330; curly top (virus) 330, 346, 352, 355, 358, 374, 365, 392; damping-off (*Pythium*) 374; dodder 374; drought injury 161, 286, 296;

- (Tomato) early blight (*Alternaria*) 38, 133, 146, 153, 160, 166, 175, 187, 200, 219, 234, 239, 245, 250, 260, 263, 277, 281, 296, 329, 346, 352, 374, 385; early blight stem canker 175; fruit cracking 161, 297; fruit pox (undet.) 154, 330; fruit rots (various) 219, 297; *Fusarium* wilt 133, 160, 166, 175, 187, 197, 200, 219, 234, 239, 245, 250, 260, 277, 281, 286, 296, 297, 319, 329, 339, 346, 352, 374; gray mold rot 277; late blight 133, 146, 160, 211, 219, 234, 239, 251, 374, 385, 392; leaf mold 133, 146, 153, 160, 166, 175, 187, 201, 239, 297, 346, 374, in outdoors plantings 146, 153, 160; leaf roll (nonpar.) 188, 211; light-injury 240; mosaic (virus) 134, 146, 153, 160, 176, 187, 188, 197, 219, 234, 240, 251, 277, 281, 286, 297, 319, 330, 346, 358, 374, aucuba 330, 346, cucumber 146, 188, 234, 330, from petunia 240, tobacco 134, 146, 153, 234, yellow 358; nail-head spot 146, 329; Phoma-rot 329; phosphorus deficiency 352; *Phytophthora capsici* fruit rot 346; psyllid yellows 352, 374; red spider injury 251, 319; *Rhizopus* canker and fruit rot 374; ringspot type of virus disease in Col. 346; rosette (undet.) 330; root knot 175, 201, 240, 250, 260, 281, 286, 296, 319, 330, 352, 374; *Sclerotinia* (drop) 297; seed treatment studies 36; *Septoria* blight 133, 146, 153, 160, 166, 171, 175, 187, 197, 200, 211, 219, 234, 240, 277, 286, 296, 305, 308, 309, 319, 385; shoulder blotch of fruit (nonpar.) 330; soil rot (various) 329, 374, 392; southern blight or wilt 234, 260, 277, 281, 329; spotted wilt (virus) 197, 330, 346, 352, 374,
- (Tomato) (spotted wilt) 385, in ornamental hosts as source of infection 374; stem rot (*Rhizoctonia*) 277; *Stemphylium* (gray leaf spot) 160, 330; streak (virus) 134, 330, double-virus 146, 385, single-virus 176, streak and ring spot type of virus disease 342; sun scald 153, 219, 245, 251, 286, 297, 309, 346; tip blight (virus) 240, 392, as limiting factor 392; transplant dissemination of diseases 175, 197; *Verticillium* wilt 134, 160, 166, 346, 355, 357, 385, 392; virus diseases 166
- Trabutia erythrospora*, 275
- Tranzschelia pruni-spinosae*, 238, 377, 378, 380, 394
- Trichoderma*, on corn 74, 75; peanut 258
- *lignorum*, 378
- Trifolium* spp.: powdery mildew 140, 162, 395; rust 140
- *dubium*: powdery mildew 282
- *hybridum*: powdery mildew 395
- *pratense*: anthracnose (*Colletotrichum*) 278, (*Kabatiella*) 204, 310; bacterial spot 204, 224; black stem 204; *Cercospora* spot 171, 179, 191, 204; insect injury 399; mosaic 224, 368, common pea virus 149; poor stands 399; powdery mildew 149, 155, 204, 224, 278, 282, 368, 395; *Pseudopeziza* leaf spot 140, 149, 155, 224; rust 149, 155, 204, 395; sooty blotch (*Cymadothea*) 149, 204, 224; *Stagonospora* 224; *Stemphylium* 149, 155, 204
- *repens*: *Botrytis* 279; *Cercospora* 279, 282; powdery mildew 395; *Pseudoplea* leaf spot 282; root knot 279; sooty blotch 204, 282; southern blight 279; *Stagonospora* 279
- Tropaeolum*: spotted wilt (virus) 383
- Tryblidiella fusca*, 274

- (Tryblidiella) rufula, 273  
 Tuber rot, undet., of potato  
 312  
 Tulipa spp.: Botrytis blight 185,  
 209, 251; breaking (virus) 209,  
 description, etc., of virus, 476  
 Tumor, undet., of apricot, 380  
 Tungoil, tung tree: see Aleurites  
 Turnip: Alternaria leaf spots 372,  
 385; black rot 277; Cercospora  
 (white) leaf spot 158, 390;  
 Colletotrichum leaf spot 277;  
 crown rot, undet., 368; downy  
 mildew 372; Macrosporium sp.  
 ("giant type"), leaf spot, 390;  
 mosaic (virus) 158, 277, 372;  
 Phoma leaf spot 391; Phyllosticta  
 leaf spot 239; powdery  
 mildew 351, 357, 368, 390; ring  
 spot (virus) 390; rootknot 277  
 ---, wild: Alternaria leaf spot  
 391  
 Typhula spp., snow rot of cereals,  
 361, 362  
 --- itoana, 214
- Ulmaceae, hosts for viruses: elm  
 mosaic 481; elm phloem necrosis  
 482  
 Ulmus: Gnomonia 229, 317  
 Umbelliferae, hosts for viruses:  
 aster yellows 421; California  
 aster yellows 424  
 Uncinula necator, 151, 169, 244,  
 283, 381, 402  
 Undetermined: diseases of fruit  
 trees 404; of soybean 257;  
 fungus on corn mesocotyls and  
 roots 74, 75; nematode causing  
 beet gall 239; trouble of oak  
 244  
 Urocystis cepulae, see onion, smut  
 --- occulta, 167, 190, 203  
 Uromyces betae, 370, 371, 381,  
 384, 389, 395, 396; necrosis  
 around pustules 389; parasites  
 389, 396  
 --- caryophyllinus, 184, 350  
 --- fabae, 282, 342  
 --- phaseoli var. typica, see  
 bean, rust.
- (Uromyces phaseoli) var. vignae,  
 334  
 --- proeminens var. pinsettiae 275  
 --- striatus var. medicaginis,  
 203, 223, 281, 287, 320, 333,  
 353, 377  
 --- trifolii, 140, 149, 155,  
 204, 395  
 Urophlyctis alfalfae; 377  
 Ustilago sp(p.), on barley 203,  
 242, 278; rye 223, 299  
 --- avenae, see oats, loose smut  
 --- bromivora, 347  
 --- hordei, see barley, covered  
 smut  
 --- intermedia, 222, 298  
 --- jensenii, see barley, covered  
 smut  
 --- kolleri, see oats, covered smut  
 --- maydis, see corn, smut  
 --- medians, 310  
 --- neglecta, 203  
 --- nigra, 177  
 --- nuda, see barley, loose smut  
 --- striaeformis, 203, 223, 242  
 --- tritici, on rye 190; on wheat  
 see wheat, loose smut  
 --- utriculosa, 209  
 --- zee, see corn, smut  
 Ustilina vulgaris, 268
- Valerianaceae: hosts for aster  
 yellows virus, 421  
 Valsa leucostoma, 168, 199  
 Vegetables: seed crop diseases  
 356; seed treatment studies  
 1-97  
 Venturia inaequalis, on apple, see  
 apple, scab; on flowering crab,  
 394  
 --- pyrina, 169, 206, 324, 341,  
 381, 394  
 Vermicularia capsici, 359  
 Vernonia: Coleosporium 276  
 Verticillium sp., on cantaloup  
 130; peppermint 199  
 --- albo-atrum, on almond 377;  
 apricot 365; belladonna 381;  
 cane fruits 151, 164, 381;  
 chrysanthemum 184; cotton see  
 host; cowpea 376;



- (*Verticillium albo-atrum*),  
 eggplant see host; peach 378;  
 pepper see host; potato 359,  
 369, 376; snapdragon 184;  
 strawberry 379; sugar beet 350;  
 tomato see host
- Vetch: see *Vicia*
- Vicia* sp.(p.): anthracnose 282;  
*Ascochyta* 279, 282; downy mil-  
 dew 282; mosaic (virus) 377
- faba: boron deficiency 282;  
 rust 282; mosaic (virus) 376;  
 scab (undet.) on pods 376;  
 spotted wilt (virus) 376
- Virus diseases, of cherry 365,  
 366; fruit crops 394, 403;  
 ornamental and miscellaneous  
 plants 410-482, for list see  
 p. 411; pea 386; pepper 158;  
 potato see host; raspberry 169,  
 195; soybean 168, 198; stone  
 fruits 355; tomato 166; symp-  
 toms on crucifers 390
- , aster yellows, description  
 of virus, hosts, etc., 418;  
 occurrence on *Asclepias* 208;  
 carrot 132, 187, 200, 328, 346;  
 celery 152; China aster 208,  
 350; endive 173, 186, 327;  
 lettuce 132, 146, 174, 187, 197,  
 329; marigold 209; parsnip 201;  
 potato (purple-top wilt) see  
 host; romaine 146; salsify 202;  
*Sonchus arvensis* 144; spinach  
 332; squash 132; tomato 176,  
 187
- , --- ---, California strain,  
 description of virus, hosts,  
 etc., 423; occurrence on broc-  
 coli 384; cabbage 371; carrot  
 373, 388, 391; cauliflower  
 384; celeriac 370; celery 370,  
 388; endive 372; lettuce 374,  
 392, 397; onion 370, 388;  
 parsley 375; parsnip 375;  
 salsify 376; zinnia 395
- , big bud, on onion (?) 388;  
 tomato 374
- , big vein, of lettuce, 352,  
 374
- (Virus diseases), black ring, of  
 crucifers, 371, 372, 384
- , breaking, of tulip, descrip-  
 tion of virus, hosts, etc. 477,  
 occurrence 209
- , brown blight, of lettuce,  
 174
- , buckskin, of cherry, 380;  
 peach, 378
- , bunch, of pecan, 282
- , calico, of celery 370, 388;  
 peach 403; potato 148 (?),  
 347, 361, 393
- , chlorotic streak of sugar-  
 cane, 283
- , crinkle, of cherry, 380
- , curly top, on bean 331,  
 342, 352; beet 326, 351, 370,  
 384; chard 351; pepper 327,  
 351; spinach 332; squash 352;  
 sugar beet see host; tomato  
 see host
- , diamond canker, of prune  
 380
- , dwarf, of alfalfa, 377
- , false blossom, of cranberry,  
 206
- , fly speck, of crucifers,  
 390, 396
- , golden net, of peach, 348
- , lace leaf, of cherry, 365,  
 404
- , leaf deformity, of prune,  
 403, 404
- , leaf roll, of potato, see  
 host
- , little peach, of peach, 163,  
 168
- , mosaic (see also p. 411, for  
 ornamentals, etc.) of alfalfa  
 347, 353, 362; almond 348, 377;  
 apple 142; apricot 363, 380;  
 bean, see host; beet 326; canta-  
 loup, see host; celery 345, 368,  
 370, 388; chard 371; cherry 349;  
 chick pea 372; chrysanthemum  
 350; clover 149, 224, 368; corn  
 282; cowpea 255, 282, 334, 389;  
 crucifers, see hosts; cucumber  
 see host;

- (Virus diseases, mosaic), *Cucurbita moschata* 328; dahlia see host; eggplant 135; fig 379; gladiolus, see host; horse (broad) bean, 376; Iris see host; lettuce 174, 346, 352, 385; lily see host; lima bean 240; nectarine 349; pea 201, 375, 386; peach see host; pepper, see host; petunia 240, 463; pimiento 259; plum 363; potato see host; pumpkin 352; raspberry see host; rhubarb 375; soybean see host; spinach 332, 376, 386; squash see host; strawberry 226; sugar beet see host; sugarcane see host; tobacco see host; tomato see host; vetch 377; watermelon 218; wheat 180
- , mottle, of peach 403
- , mottle-leaf, of cherry 403
- , necrotic fleck, of lily 450
- , necrotic ring spot, of cherry in Wis., 205
- , net necrosis, of potato, 138, 398
- , Pierce's disease (*Medicago virus 3*), of grape, 381
- , psorosis A, of citrus 353
- , purple-top wilt, of potato see host
- , rasp leaf, of cherry 349, 365, 403
- , ring box (ring spot) of apricot 349
- , ring spot, of almond 377; peach 378; tobacco 165, 238, 254, see also soybean; top necrosis; tomato 342, 346
- , --- or lace leaf, of sweet cherry 365
- , rosette, of lily 382, virus descr. etc. 449
- , rough bark canker type, transmitted to peach from cherry 404
- , rusty mottle, of sweet cherry 365 (?)
- (Virus diseases), savoy, of sugar beet 228, 350
- , spindle tuber, of potato see host
- , spotted wilt, carry-over hosts 383; on *calceolaria* 382; calla 383; celery 370; chicory 372; dahlia 382, 429; horse bean 376; lettuce 374, 392; nasturtium 383; pepper 152, 372; spinach 376; tomato see host; zinnia 383
- , stony pit, of pear, 381
- , streak, of pea 201; tobacco 207, 248; tomato see host
- , streak and ring spot, of tomato 342
- , stunt, of blueberry 151; parsley 161
- , stunting and yellowing, of shallot 280
- , tip blight, of tomato 240, 392
- , top necrosis, of soybean, see host
- , wart, of peach 353, 403
- , western-X disease, of peach, see host
- , witches'-broom, of alfalfa 353
- , X disease, of peach and chokecherry, 149
- , yellow-bud or Winters' mosaic, of peach 378
- , yellow dwarf, of onion 370, 388; potato 114, 155, 202, 235
- , yellow-edge (xanthosis), of strawberry, 349, 379, 394, 400
- , yellows, of eggplant 339; of peach, on almond 242, nectarine 242, peach 156, 168, 236, 242; of sour cherry 205
- Virus like, virus suspected, disease of hops 151
- , haywire, of potato, 281, 332, 343, 347
- , malformed heads, of onion 388
- , red node, of bean 342, 346

- (Virus like), symptoms in celery 376
- , wilting disease of sweet cherry, 365, 366
- , witches'-broom, of bean 352; lima bean 352
- Viruses described primarily on ornamental or miscellaneous plants, Suppl. 150, pp. 410-482
- Vitis (see also under grape)
- californica: downy mildew 381
- munsoniana: black rot leaf spot 263
- rotundifolia: black rot 283; black rot leaf spot 268; Rhizoctonia solani 283; Septoria leaf spot 268; Sphaeronema-like leaf blotch 268
- rufotomentosa: Diplococcum (?) on leaves 269; downy mildew 269
- vulpina: leaf blotch (Isariopsis) 269
- Walnut, Persian: see Juglans regia
- Watermelon: Alternaria blight 159, 173, 281, 328, 352; anthracnose 129, 173, 186, 218, 249, 285, 318, 328, 352; Aspergillus 285; bacterial wilt 159; blossom-end rot 173, 186, 218, 285, 318; damping-off 218; downy mildew 328; Fusarium wilt 173, 186, 218, 249, 281, 285, 318, 328, 372; mosaic (virus) 218; Penicillium 285; Rhizopus 285; rootknot 352; wilt, undet., 391
- Water-spot, nonpar., of orange, 378, 379
- Weak-neck (genetic), of sorghum 312, 314
- Weather, in Ark. 284; Fla. 262; Ind. 169; Iowa 217; Mo. 294; New England 126; N. Dak. 305; Ohio 165; Okla. 317
- injury to lettuce 385;
- (Weather injury), to potato 320; sugar beet 198
- ---, cold, to carrot 263; grapefruit 378; pea 264
- ---, drought, to apple 164; corn 162, 246, 284, 317; cotton 284, 292, 293, 317; peach 236; peanut 317; pepper 158; potato 162; soybean 162, 254; strawberry 290; sweet-potato 160, 317, 319; tobacco 165; tomato 161, 286, 396
- ---, frost, to apple see under apple; cabbage 262; cherry 205, 227, 302; cucumber 200; eggplant 264; fruits 403; grape 228; peach see under peach; potato 138, 202; soybean 198, 224; spinach 284; squash 263; strawberry 226, 284
- ---, heat, to almond 377; tobacco 248
- ---, lightning, to tomato 240
- ---, wet weather, 384; to corn 317; cotton 292; pepper 262; potato 297; wheat 307
- ---, wind, to cucumber 263
- ---, winter, to alfalfa 203, 340; apple 205, 227; apricot 365; cherry 205, 341, 365, 366; fruit crops 403; hops 395; peach 141, 163; peppermint 199; raspberry 183, 228, 349; strawberry 215
- Wheat: anthracnose 167; bacterial leaf blight and black chaff 215, 225, 300, 307, 311; black point 214; bunt 167, 180, 192, 204, 215, 225, 300, 307, 311, 322, 340, 343, 348, 362, 369, 377, dwarf bunt 362; ergot 214, 307; foot rot see root rot; Fusarium 215; Gibberella 310, 377, see also scab; glume blotch 140, 167, 180; head blight 307, 310, see also scab; Helminthosporium 204, 214, 215, 307, 310, 322, 343, 348; leaf rust intensity and destructiveness,

- (Wheat, leaf rust), methods of appraising, 99, occurrence 140, 167, 180, 192, 198, 204, 215, 225, 242, 279, 299, 307, 311, 317, 322, 334, 340, 343, 348, 377, review of Russian work 99; loose smut 167, 180, 192, 204, 215, 225, 242, 279, 300, 322, 334, 343, 348; mosaic (virus) 180; powdery mildew 167, 334, 343, 348, 362; root necrosis (Pythium) 225, 299; root and foot rots 180, 204, 215, 307, 310, 322, 343, 348, 377; rust losses in Russia 117; scab 140, 167, 171, 179, 191, 198, 305, 307, 310; seedling blights 215, 310; smut unspecified 348; snow rot (Typhula) 362; speckled leaf blotch 180, 215, 225, 279, 300, 311, 334, 348; stem rust 167, 190, 192, 198, 204, 210, 215, 224, 235, 242, 299, 307, 311, 322, 334, 340, 348, 350, 362, 369, 377; take-all 377; wet weather injury 307
- White spot, non-par., of alfalfa, 353
- White tip, non-par., of rice, 282, 287
- Wilt, undet., of cantaloup 391; eggplant 393; watermelon 391
- Wilting disease, undet. (? virus), of cherry, 365, 366
- Wood decay fungi, on apricot, 365
- Xanthium: Erysiphe 276; Puccinia 276
- Xanthomonas spp., on bean 211
- begoniae, 350, 382
- campestris, 128, 129, 145, 152, 158, 165, 172, 199, 200, 210, 211, 218, 233, 259, 262, 276, 277, 280, 305, 327, 351
- (Xanthomonas) carotae, 219, 373
- gummisudans, 208
- holcicola, 288, 312, 314, 322, 353
- juglandis 379
- malvacearum, 237, 261, 280, 283, 293, 302, 326, 336, 354
- pelargonii, 382
- phaseoli, 135, 147, 154, 166, 176, 188, 189, 197, 201, 220, 240, 251, 260, 277, 281, 289, 297, 305, 309, 319, 320, 331, 339, 342, 346, 352, 358
- --- var. sojense, see soybean, bacterial pustule
- pisi, 346
- pruni, 141, 163, 168, 169, 181, 182, 194, 206, 226, 227, 246, 252, 290, 301, 302, 323, 334, 335
- translucens, 210, 213, 221, 222, 223, 310, 340
- --- f. sp. secalis, 223, 310, 353
- --- f. sp. undulosa, 215, 225, 300, 307, 311
- vesicatoria, 129, 153, 158, 172, 175, 186, 200, 219, 259, 277, 281, 296, 309, 327
- vignicola, 289, 322, 334
- Xylaria mali, 236, 243
- Yellows, of alfalfa (leafhopper) 203; strawberry (genetic) 341. For virus yellows see under virus etc.
- Zantedeschia: bacterial soft rot 383; Phytophthora root rot 383; spotted wilt (virus) 383
- Zinnia: aster yellows (virus) 395, 424; powdery mildew 351, 383; Sclerotinia 395; spotted wilt (virus) 383

## ERRATA

On page 147, under Solanum tuberosum, Ditylenchus dipsaci and its synonym should be deleted. Heterodera rostochiensis is the nematode referred to in the report and this name should be substituted.

On page 232, in the table of contents, Arthur S. Rhoads should be cited as the author of the Florida report, instead of G. M. Stone as given.



